


TASTA RACORDURI SRL


Importator pt. ROMANIA




1 - ISO/EN G4
pag.3




1a - ISO/EN D4
pag.3



2 - ISO/EN G1
pag.3




2a - ISO/EN D1
pag.3




3 - ISO/EN G8
pag.4



40 - ISO/EN G4 45°
pag.4




41 - ISO/EN G1 45°
pag.4




60
pag.4



85
pag.5




90 - ISO/EN A1
pag.5




90 - ISO/EN A1
pag.5




92 - ISO/EN A4
pag.6




95 - ISO/EN UA1
pag.6



96 - ISO/EN UA11
pag.6



97 - ISO/EN UA2
pag.6




98 - ISO/EN UA12
pag.7




120 - ISO/EN A1-45°
pag.7




121 - ISO/EN A4 45°
pag.7




130 - ISO/EN B1
pag.7




130 - ISO/EN B1
pag.8




130 - ISO/EN B1
pag.8




131 - ISO/EN E1
pag.8




132 - ISO/EN E2
pag.9



180 - ISO/EN C1
pag.9



221 – ISO/EN Za1
pag.9



223 – ISO/EN Za2
pag.9



240 – ISO/EN M2
pag.10




241 – ISO/EN N4
pag.10-11




245 – ISO/EN N8
pag.11



246 – ISO/EN M4
pag.11-12



270 – ISO/EN M2
pag.12




271 – ISO/EN M2R-L
pag.12



280 – ISO/EN N8
pag.12-13



290 – ISO/EN T9
pag.13



291 – ISO/EN T8
pag.13



300 – ISO/EN T1
pag.13




301
pag.14




310 – ISO/EN P4
pag.14




312 – ISO/EN P4
pag.14




321
pag.14




330 – ISO/EN U1
pag.15




331 – ISO/EN U2
pag.15




340 – ISO/EN U11
pag.15




341 – ISO/EN U12
pag.15




471
pag.16



529a – ISO/EN M4
pag.16



372
pag.17



374
pag.17

TASTA RACORDURI SRL

Importator pt. ROMANIA

Artikel/Abmessung
Article/Dimension

VPE klein / groß
PU small / large

kg
kg

Art.-Nr.
Art. No.

EAN-Code
EAN-Code

Art.-Nr.
Art. No.

EAN-Code
EAN-Code

verzinkt galvanized

schwarz black

1 – ISO/EN G4

Bogen 90° I/A lang

Long sweep bend 90° F/M

DN	[in]	10	300	0,049	13001008	4029652130015	14001008	4029652140014
DN 8	[1/4"]	10	150	0,076	13001010	4029652130022	14001010	4029652140021
DN 10	[3/8"]	10	100	0,115	13001015	4029652130039	14001015	4029652140038
DN 15	[1/2"]	10	60	0,206	13001020	4029652130046	14001020	4029652140045
DN 20	[3/4"]	10	70	0,334	13001025	4029652130053	14001025	4029652140052
DN 25	[1"]	10	30	0,583	13001032	4029652130060	14001032	4029652140069
DN 32	[1 1/4"]	1	24	0,743	13001040	4029652130077	14001040	4029652140076
DN 40	[1 1/2"]	1	15	1,335	13001050	4029652130084	14001050	4029652140083
DN 50	[2"]	1	4	2,332	13001065	4029652130091	14001065	4029652140090
DN 65	[2 1/2"]	1	4	3,513	13001080	4029652130107	14001080	4029652140106
DN 80	[3"]	1	4	6,835	13001100	4029652130114	14001100	4029652140113
DN 100	[4"]							

1a – ISO/EN D4

Bogen 90° I/A kurz

Short bend 90° F/M

DN 15	[1/2"]	10	100	0,104	13001215	4029652130121	14001215	4029652140120
DN 20	[3/4"]	10	80	0,168	13001220	4029652130138	14001220	4029652140137
DN 25	[1"]	10	60	0,276	13001225	4029652130145	14001225	4029652140144
DN 32	[1 1/4"]	10	40	0,465	13001232	4029652130152	14001232	4029652140151
DN 40	[1 1/2"]	1	30	0,595	13001240	4029652130169	14001240	4029652140168
DN 50	[2"]	1	16	1,049	13001250	4029652130176	14001250	4029652140175

2 – ISO/EN G1

Bogen 90° I/I lang

Long sweep bend 90° F/F

DN 8	[1/4"]	10	250	0,061	13002008	4029652130183	14002008	4029652140182
DN 10	[3/8"]	10	150	0,092	13002010	4029652130190	14002010	4029652140199
DN 15	[1/2"]	10	80	0,138	13002015	4029652130206	14002015	4029652140205
DN 20	[3/4"]	10	60	0,236	13002020	4029652130213	14002020	4029652140212
DN 25	[1"]	10	50	0,382	13002025	4029652130220	14002025	4029652140229
DN 32	[1 1/4"]	1	24	0,644	13002032	4029652130237	14002032	4029652140236
DN 40	[1 1/2"]	1	20	0,816	13002040	4029652130244	14002040	4029652140243
DN 50	[2"]	1	10	1,431	13002050	4029652130251	14002050	4029652140250
DN 65	[2 1/2"]	1	6	2,475	13002065	4029652130268	14002065	4029652140267
DN 80	[3"]	1	4	3,731	13002080	4029652130275	14002080	4029652140274
DN 100	[4"]	1	1	7,197	13002100	4029652130282	14002100	4029652140281

2a – ISO/EN D1

Bogen 90° I/I kurz

Short bend 90° F/F

DN 15	[1/2"]	10	100	0,119	13002215	4029652130299	14002215	4029652140298
DN 20	[3/4"]	10	60	0,186	13002220	4029652130305	14002220	4029652140304
DN 25	[1"]	10	60	0,304	13002225	4029652130312	14002225	4029652140311
DN 32	[1 1/4"]	1	40	0,492	13002232	4029652130329	14002232	4029652140328
DN 40	[1 1/2"]	1	20	0,627	13002240	4029652130336	14002240	4029652140335
DN 50	[2"]	1	12	1,081	13002250	4029652130343	14002250	4029652140342

TASTA RACORDURI SRL

Importator pt. ROMANIA

Artikel/Abmessung
Article/Dimension

VPE klein / groß
PU small / large

kg
kg

Art.-Nr.
Art. No.

EAN-Code
EAN-Code

Art.-Nr.
Art. No.

EAN-Code
EAN-Code

verzinkt galvanized

schwarz black

3 – ISO/EN G8

Bogen 90° A/A läng

Long sweep bend 90° M/M

DN 8 (1/4")	10	300	0,048	NEU 13003008	4029652130350
DN 10 (3/8")	10	150	0,080	NEU 13003010	4029652130367
DN 15 (1/2")	10	100	0,115	NEU 13003015	4029652130374
DN 20 (3/4")	10	60	0,193	NEU 13003020	4029652130381
DN 25 (1")	10	80	0,306	NEU 13003025	4029652130398
DN 32 (1 1/4")	1	40	0,577	NEU 13003032	4029652130404
DN 40 (1 1/2")	1	26	0,776	NEU 13003040	4029652130411
DN 50 (2")	1	12	1,294	NEU 13003050	4029652130428

NEU 14003008	4029652140359
NEU 14003010	4029652140366
NEU 14003015	4029652140373
NEU 14003020	4029652140380
NEU 14003025	4029652140397
NEU 14003032	4029652140403
NEU 14003040	4029652140410
NEU 14003050	4029652140427

40 – ISO/EN G4 45°

Bogen 45° I/A

Long sweep bend 45° F/M

DN 8 (1/4")	10	300	0,037	13040008	4029652130435
DN 10 (3/8")	10	300	0,056	13040010	4029652130442
DN 15 (1/2")	10	150	0,090	13040015	4029652130459
DN 20 (3/4")	10	80	0,151	13040020	4029652130466
DN 25 (1")	10	100	0,237	13040025	4029652130473
DN 32 (1 1/4")	1	60	0,410	13040032	4029652130480
DN 40 (1 1/2")	1	40	0,506	13040040	4029652130497
DN 50 (2")	1	14	0,875	13040050	4029652130503
DN 65 (2 1/2")	1	8	1,524	13040065	4029652130510
DN 80 (3")	1	6	2,284	13040080	4029652130527
DN 100 (4")	1	2	4,396	13040100	4029652130534

14040008	4029652140434
14040010	4029652140441
14040015	4029652140458
14040020	4029652140465
14040025	4029652140472
14040032	4029652140489
14040040	4029652140496
14040050	4029652140502
14040065	4029652140519
14040080	4029652140526
14040100	4029652140533

41 – ISO/EN G1 45°

Bogen 45° I/I

Long sweep bend 45° F/F

DN 8 (1/4")	10	300	0,045	NEU 13041008	4029652130541
DN 10 (3/8")	10	300	0,071	13041010	4029652130558
DN 15 (1/2")	10	150	0,112	13041015	4029652130565
DN 20 (3/4")	10	80	0,182	13041020	4029652130572
DN 25 (1")	10	80	0,289	13041025	4029652130589
DN 32 (1 1/4")	1	50	0,482	13041032	4029652130596
DN 40 (1 1/2")	1	40	0,588	13041040	4029652130602
DN 50 (2")	1	16	1,005	13041050	4029652130619
DN 65 (2 1/2")	1	8	1,688	13041065	4029652130626
DN 80 (3")	1	6	2,531	13041080	4029652130633
DN 100 (4")	1	2	4,832	13041100	4029652130640

14041008	4029652140540
14041010	4029652140557
14041015	4029652140564
14041020	4029652140571
14041025	4029652140588
14041032	4029652140595
14041040	4029652140601
14041050	4029652140618
14041065	4029652140625
NEU 14041080	4029652140632
NEU 14041100	4029652140649

60

Doppelbogen I/I

Double bend F/F

DN 15 (1/2")	10	50	0,187	NEU 13060015	4029652130657
DN 20 (3/4")	10	40	0,382	NEU 13060020	4029652130664
DN 25 (1")	10	40	0,566	NEU 13060025	4029652130671
DN 32 (1 1/4")	1	20	0,705	NEU 13060032	4029652130688
DN 40 (1 1/2")	1	18	0,970	NEU 13060040	4029652130695
DN 50 (2")	1	12	1,395	NEU 13060050	4029652130701

NEU 14060015	4029652140656
NEU 14060020	4029652140663
NEU 14060025	4029652140670
NEU 14060032	4029652140687
NEU 14060040	4029652140694
NEU 14060050	4029652140700

TASTA RACORDURI SRL

Importator pt. ROMANIA

Artikel/Abmessung
Article/Dimension

VPE klein / groß
PU small / large

kg
kg

Art.-Nr.
Art. No.

EAN-Code
EAN-Code

Art.-Nr.
Art. No.

EAN-Code
EAN-Code

verzinkt galvanized

schwarz black

85


Überspringbogen I/I
Crossover F/F



DN 10 [3/8"]	10	100	0,130	13085010	4029652130718	14085010	4029652140717
DN 15 [1/2"]	10	80	0,162	13085015	4029652130725	14085015	4029652140724
DN 20 [3/4"]	10	30	0,260	13085020	4029652130732	14085020	4029652140731
DN 25 [1"]	10	40	0,467	13085025	4029652130749	14085025	4029652140748
DN 32 [1 1/4"]	1	20	0,880	13085032	4029652130756	14085032	4029652140755
DN 40 [1 1/2"]	1	16	1,160	13085040	4029652130763	14085040	4029652140762
DN 50 [2"]	1	10	1,560	13085050	4029652130770	14085050	4029652140779

90 – ISO/EN A1


Winkel 90° I/I
Elbow 90° equal F/F



DN 8 [1/4"]	10	300	0,041	13090008	4029652130787	14090008	4029652140786
DN 10 [3/8"]	10	300	0,061	13090010	4029652130794	14090010	4029652140793
DN 15 [1/2"]	10	170	0,091	13090015	4029652130800	14090015	4029652140809
DN 20 [3/4"]	10	90	0,151	13090020	4029652130817	14090020	4029652140816
DN 25 [1"]	10	100	0,217	13090025	4029652130824	14090025	4029652140823
DN 32 [1 1/4"]	1	70	0,337	13090032	4029652130831	14090032	4029652140830
DN 40 [1 1/2"]	1	50	0,427	13090040	4029652130848	14090040	4029652140847
DN 50 [2"]	1	25	0,705	13090050	4029652130855	14090050	4029652140854
DN 65 [2 1/2"]	1	12	1,167	13090065	4029652130862	14090065	4029652140861
DN 80 [3"]	1	20	1,715	13090080	4029652130879	14090080	4029652140878
DN 100 [4"]	1	4	3,072	13090100	4029652130886	14090100	4029652140885

90 – ISO/EN A1

Winkel 90° reduziert I/I
Elbow 90° reducing F/F



DN 15 x 10 [1/2" x 3/8"]	10	200	0,075	13090306	4029652130893	14090306	4029652140892
DN 20 x 10 [3/4" x 3/8"]	10	120	0,103	13090309	4029652130909	14090309	4029652140908
DN 20 x 15 [3/4" x 1/2"]	10	120	0,119	13090310	4029652130916	14090310	4029652140915
DN 25 x 15 [1" x 1/2"]	10	120	0,158	13090314	4029652130923	14090314	4029652140922
DN 25 x 20 [1" x 3/4"]	10	120	0,186	13090315	4029652130930	14090315	4029652140939
DN 32 x 20 [1 1/4" x 3/4"]	1	90	0,243	13090320	4029652130947	14090320	4029652140946
DN 32 x 25 [1 1/4" x 1"]	1	70	0,291	13090321	4029652130954	14090321	4029652140953
DN 40 x 15 [1 1/2" x 1/2"]	1	80	0,246	13090325	4029652130961	14090325	4029652140960
DN 40 x 20 [1 1/2" x 3/4"]	1	70	0,278	13090326	4029652130978	14090326	4029652140977
DN 40 x 25 [1 1/2" x 1"]	1	60	0,335	13090327	4029652130985	14090327	4029652140984
DN 40 x 32 [1 1/2" x 1 1/4"]	1	50	0,397	13090328	4029652130992	14090328	4029652140991
DN 50 x 25 [2" x 1"]	1	40	0,460	13090334	4029652131005	14090334	4029652141004
DN 50 x 32 [2" x 1 1/4"]	1	30	0,580	13090335	4029652131012	14090335	4029652141011
DN 50 x 40 [2" x 1 1/2"]	1	30	0,582	13090336	4029652131029	14090336	4029652141028
DN 65 x 50 [2 1/2" x 2"]	1	16	0,930	13090345	4029652131036	14090345	4029652141035
DN 80 x 50 [3" x 2"]	1	10	1,311	13090354	4029652131043	14090354	4029652141042

TASTA RACORDURI SRL

Importator pt. ROMANIA

Artikel/Abmessung
Article/Dimension

VPE klein / groß
PU small / large

kg
kg

Art.-Nr.
Art. No.

EAN-Code
EAN-Code

Art.-Nr.
Art. No.


EAN-Code
EAN-Code

verzinkt galvanized

schwarz black

92 – ISO/EN A4


Winkel 90° I/A
Elbow 90° equal F/M



DN 6 (1/8")	10	400	0,022	13092006	4029652131050	14092006	4029652141059
DN 8 (1/4")	10	320	0,038	13092008	4029652131067	14092008	4029652141066
DN 10 (3/8")	10	260	0,058	13092010	4029652131074	14092010	4029652141073
DN 15 (1/2")	10	160	0,092	13092015	4029652131081	14092015	4029652141080
DN 20 (3/4")	10	100	0,147	13092020	4029652131098	14092020	4029652141097
DN 25 (1")	10	80	0,236	13092025	4029652131104	14092025	4029652141103
DN 32 (1 1/4")	1	50	0,367	13092032	4029652131111	14092032	4029652141110
DN 40 (1 1/2")	1	40	0,460	13092040	4029652131128	14092040	4029652141127
DN 50 (2")	1	20	0,767	13092050	4029652131135	14092050	4029652141134
DN 65 (2 1/2")	1	12	1,169	13092065	4029652131142	14092065	4029652141141
DN 80 (3")	1	10	1,713	13092080	4029652131159	14092080	4029652141158
DN 100 (4")	1	4	2,383	13092100	4029652131166	14092100	4029652141165

95 – ISO/EN UA1


Winkelverschraubung I/I
flach dichtend
Union elbow flat seat F/F



DN 10 (3/8")	10	80	0,170	13095010	4029652131173	14095010	4029652141172
DN 15 (1/2")	10	60	0,226	13095015	4029652131180	14095015	4029652141189
DN 20 (3/4")	10	40	0,376	13095020	4029652131197	14095020	4029652141196
DN 25 (1")	10	25	0,524	13095025	4029652131203	14095025	4029652141202
DN 32 (1 1/4")	1	24	0,833	13095032	4029652131210	14095032	4029652141219
DN 40 (1 1/2")	1	20	1,045	13095040	4029652131227	14095040	4029652141226
DN 50 (2")	1	12	1,595	13095050	4029652131234	14095050	4029652141233

96 – ISO/EN UA11


Winkelverschraubung I/I
konisch dichtend
Union elbow taper seat F/F



DN 10 (3/8")	10	80	0,169	13096010	4029652131241	14096010	4029652141240
DN 15 (1/2")	10	60	0,225	13096015	4029652131258	14096015	4029652141257
DN 20 (3/4")	10	40	0,371	13096020	4029652131265	14096020	4029652141264
DN 25 (1")	10	25	0,517	13096025	4029652131272	14096025	4029652141271
DN 32 (1 1/4")	1	24	0,796	13096032	4029652131289	14096032	4029652141288
DN 40 (1 1/2")	1	20	0,978	13096040	4029652131296	14096040	4029652141295
DN 50 (2")	1	12	1,617	13096050	4029652131302	14096050	4029652141301

97 – ISO/EN UA2

Winkelverschraubung I/A
flach dichtend
Union elbow flat seat F/M



DN 10 (3/8")	10	80	0,191	13097010	4029652131319	14097010	4029652141318
DN 15 (1/2")	10	50	0,257	13097015	4029652131326	14097015	4029652141325
DN 20 (3/4")	10	30	0,415	13097020	4029652131333	14097020	4029652141332
DN 25 (1")	10	40	0,584	13097025	4029652131340	14097025	4029652141349
DN 32 (1 1/4")	1	20	0,928	13097032	4029652131357	14097032	4029652141356
DN 40 (1 1/2")	1	20	1,150	13097040	4029652131364	14097040	4029652141363
DN 50 (2")	1	10	1,759	13097050	4029652131371	14097050	4029652141370

TASTA RACORDURI SRL

Importator pt. ROMANIA

Artikel/Abmessung
Article/Dimension

VPE klein / groß
PU small / large

kg
kg

Art.-Nr.
Art. No.

EAN-Code
EAN-Code

Art.-Nr.
Art. No.


EAN-Code
EAN-Code

verzinkt galvanized

schwarz black

98 - ISO/EN UA12

Winkelverschraubung I/A
konisch dichtend
Union elbow taper seat F/M



DN 8 [1/4"]	10	90	0,118	13098008	4029652131388	14098008	4029652141387
DN 10 [3/8"]	10	80	0,179	13098010	4029652131395	14098010	4029652141394
DN 15 [1/2"]	10	50	0,247	13098015	4029652131401	14098015	4029652141400
DN 20 [3/4"]	10	30	0,406	13098020	4029652131418	14098020	4029652141417
DN 25 [1"]	10	40	0,571	13098025	4029652131425	14098025	4029652141424
DN 32 [1 1/4"]	1	20	0,955	13098032	4029652131432	14098032	4029652141431
DN 40 [1 1/2"]	1	20	1,146	13098040	4029652131449	14098040	4029652141448
DN 50 [2"]	1	10	1,787	13098050	4029652131456	14098050	4029652141455

120 - ISO/EN A1 45°


Winkel 45° I/I
Elbow 45° F/F



DN 10 [3/8"]	10	200	0,056	13120010	4029652131463	14120010	4029652141462
DN 15 [1/2"]	10	160	0,084	13120015	4029652131470	14120015	4029652141479
DN 20 [3/4"]	10	100	0,123	13120020	4029652131487	14120020	4029652141486
DN 25 [1"]	10	100	0,193	13120025	4029652131494	14120025	4029652141493
DN 32 [1 1/4"]	1	60	0,326	13120032	4029652131500	14120032	4029652141509
DN 40 [1 1/2"]	1	50	0,372	13120040	4029652131517	14120040	4029652141516
DN 50 [2"]	1	20	0,604	13120050	4029652131524	14120050	4029652141523

121 - ISO/EN A4 45°


Winkel 45° I/A
Elbow 45° F/M



DN 10 [3/8"]	10	250	0,047	13121010	4029652131531	14121010	4029652141530
DN 15 [1/2"]	10	160	0,076	13121015	4029652131548	14121015	4029652141547
DN 20 [3/4"]	10	100	0,114	13121020	4029652131555	14121020	4029652141554
DN 25 [1"]	10	120	0,177	13121025	4029652131562	14121025	4029652141561
DN 32 [1 1/4"]	1	60	0,276	13121032	4029652131579	14121032	4029652141578
DN 40 [1 1/2"]	1	50	0,342	13121040	4029652131586	14121040	4029652141585
DN 50 [2"]	1	24	0,585	13121050	4029652131593	14121050	4029652141592

130 - ISO/EN B1

T-Stück egal I/I/I
Tee equal F/F/F



DN 8 [1/4"]	10	200	0,059	13130008	4029652131609	14130008	4029652141608
DN 10 [3/8"]	10	140	0,088	13130010	4029652131616	14130010	4029652141615
DN 15 [1/2"]	10	100	0,129	13130015	4029652131623	14130015	4029652141622
DN 20 [3/4"]	10	60	0,197	13130020	4029652131630	14130020	4029652141639
DN 25 [1"]	10	60	0,314	13130025	4029652131647	14130025	4029652141646
DN 32 [1 1/4"]	1	35	0,474	13130032	4029652131654	14130032	4029652141653
DN 40 [1 1/2"]	1	24	0,602	13130040	4029652131661	14130040	4029652141660
DN 50 [2"]	1	24	0,967	13130050	4029652131678	14130050	4029652141677
DN 65 [2 1/2"]	1	8	1,516	13130065	4029652131685	14130065	4029652141684
DN 80 [3"]	1	8	2,233	13130080	4029652131692	14130080	4029652141691
DN 100 [4"]	1	4	4,091	13130100	4029652131708	14130100	4029652141707

Artikel/Abmessung
Article/Dimension

VPE klein / groß
PU small / large

kg
kg

Art.-Nr.
Art. No.

EAN-Code
EAN-Code

Art.-Nr.
Art. No.


EAN-Code
EAN-Code

verzinkt galvanized

schwarz black

130 - ISO/EN B1


T-Stück reduziert I/I/I
Tee reduced F/F/F



DN 15 x 10 (1/2" x 3/8")	10	100	0,113	13130206	4029652131715	14130206	4029652141714
DN 20 x 10 (3/4" x 3/8")	10	70	0,156	13130209	4029652131722	14130209	4029652141721
DN 20 x 15 (3/4" x 1/2")	10	70	0,171	13130210	4029652131739	14130210	4029652141738
DN 25 x 15 (1" x 1/2")	10	60	0,250	13130214	4029652131746	14130214	4029652141745
DN 25 x 20 (1" x 3/4")	10	60	0,279	13130215	4029652131753	14130215	4029652141752
DN 32 x 15 (1 1/4" x 1/2")	1	60	0,338	13130219	4029652131760	14130219	4029652141769
DN 32 x 20 (1 1/4" x 3/4")	1	50	0,367	13130220	4029652131777	14130220	4029652141776
DN 32 x 25 (1 1/4" x 1")	1	50	0,418	13130221	4029652131784	14130221	4029652141783
DN 40 x 15 (1 1/2" x 1/2")	1	40	0,409	13130225	4029652131791	14130225	4029652141790
DN 40 x 20 (1 1/2" x 3/4")	1	40	0,415	13130226	4029652131807	14130226	4029652141806
DN 40 x 25 (1 1/2" x 1")	1	40	0,495	13130227	4029652131814	14130227	4029652141813
DN 40 x 32 (1 1/2" x 1 1/4")	1	40	0,555	13130228	4029652131821	14130228	4029652141820
DN 50 x 15 (2" x 1/2")	1	30	0,600	13130232	4029652131838	14130232	4029652141837
DN 50 x 20 (2" x 3/4")	1	24	0,635	13130233	4029652131845	14130233	4029652141844
DN 50 x 25 (2" x 1")	1	24	0,699	13130234	4029652131852	14130234	4029652141851
DN 50 x 32 (2" x 1 1/4")	1	24	0,770	13130235	4029652131869	14130235	4029652141868
DN 50 x 40 (2" x 1 1/2")	1	24	0,831	13130236	4029652131876	14130236	4029652141875
DN 65 x 40 (2 1/2" x 1 1/2")	1	12	1,184	13130244	4029652131883	14130244	4029652141882
DN 65 x 50 (2 1/2" x 2")	1	15	1,342	13130245	4029652131890	14130245	4029652141899
DN 80 x 40 (3" x 1 1/2")	1	12	1,630	13130253	4029652131906	14130253	4029652141905
DN 80 x 50 (3" x 2")	1	12	1,811	13130254	4029652131913	14130254	4029652141912
DN 80 x 65 (3" x 2 1/2")	1	8	2,058	13130255	4029652131920	14130255	4029652141929
DN 100 x 80 (4" x 3")	1	4	3,345	13130266	4029652131937	14130266	4029652141936

130 - ISO/EN B1


T-Stück reduziert I/I/I
Tee reduced F/F/F



DN 15 x 15 x 10 (1/2" x 1/2" x 3/8")	10	100	0,119	13130305	4029652131944	14130305	4029652141943
DN 15 x 20 x 15 (1/2" x 3/4" x 1/2")	10	70	0,158	13130310	4029652131951	14130310	4029652141950
DN 20 x 15 x 15 (3/4" x 1/2" x 1/2")	10	70	0,156	13130315	4029652131968	14130315	4029652141967
DN 20 x 20 x 15 (3/4" x 3/4" x 1/2")	10	70	0,183	13130320	4029652131975	14130320	4029652141974
DN 20 x 25 x 20 (3/4" x 1" x 3/4")	10	80	0,236	13130325	4029652131982	14130325	4029652141981
DN 25 x 15 x 15 (1" x 1/2" x 1/2")	10	100	0,147	13130330	4029652131999	14130330	4029652141998
DN 25 x 25 x 20 (1" x 1/2" x 3/4")	10	80	0,214	13130335	4029652132002	14130335	4029652142001
DN 25 x 20 x 15 (1" x 3/4" x 1/2")	10	80	0,220	13130340	4029652132019	14130340	4029652142018
DN 25 x 20 x 20 (1" x 3/4" x 3/4")	10	60	0,238	13130345	4029652132026	14130345	4029652142025
DN 25 x 25 x 15 (1" x 1" x 1/2")	10	60	0,260	13130350	4029652132033	14130350	4029652142032
DN 25 x 25 x 20 (1" x 1" x 3/4")	10	60	0,278	13130355	4029652132040	14130355	4029652142049
DN 32 x 25 x 25 (1 1/4" x 1" x 1")	1	50	0,370	13130360	4029652132057	14130360	4029652142056
DN 32 x 32 x 25 (1 1/4" x 1 1/4" x 1")	1	40	0,431	13130365	4029652132064	14130365	4029652142063
DN 40 x 40 x 32 (1 1/2" x 1 1/2" x 1 1/4")	1	30	0,512	13130370	4029652132071	14130370	4029652142070

131 - ISO/EN E1

Bogen-T-Stück 90° I/I/I
Pitcher-T 90° equal F/F/F



DN 15 (1/2")	10	50	0,179	13131015	4029652132088	14131015	4029652142087
DN 20 (3/4")	10	30	0,301	13131020	4029652132095	14131020	4029652142094
DN 25 (1")	10	30	0,493	13131025	4029652132101	14131025	4029652142100
DN 32 (1 1/4")	1	22	0,784	13131032	4029652132118	14131032	4029652142117
DN 40 (1 1/2")	1	15	1,081	13131040	4029652132125	14131040	4029652142124
DN 50 (2")	1	10	1,750	13131050	4029652132132	14131050	4029652142131

TASTA RACORDURI SRL

Importator pt. ROMANIA

Artikel/Abmessung
Article/Dimension

VPE klein / groß
PU small / large

kg
kg

Art.-Nr.
Art. No.

EAN-Code
EAN-Code

Art.-Nr.
Art. No.

EAN-Code
EAN-Code

verzinkt galvanized

schwarz black

132 – ISO/EN E2

Zweibogen-T-Stück egal I/I/I
Twin elbow 90° equal F/F/F




DN 15 (1/2")	10	50	0,192	NEU 13132015	4029652132149
DN 20 (3/4")	10	30	0,385	NEU 13132020	4029652132156
DN 25 (1")	10	30	0,598	NEU 13132025	4029652132163
DN 32 (1 1/4")	1	20	0,798	NEU 13132032	4029652132170
DN 40 (1 1/2")	1	12	0,980	NEU 13132040	4029652132187
DN 50 (2")	1	6	1,920	NEU 13132050	4029652132194

NEU 14132015	4029652142148
NEU 14132020	4029652142155
NEU 14132025	4029652142162
NEU 14132032	4029652142179
NEU 14132040	4029652142186
NEU 14132050	4029652142193

180 – ISO/EN C1

Kreuzstück I/I/I/I
Cross equal F/F/F/F




DN 8 (1/4")	10	180	0,069	13180008	4029652132200
DN 10 (3/8")	10	110	0,110	13180010	4029652132217
DN 15 (1/2")	10	70	0,166	13180015	4029652132224
DN 20 (3/4")	10	50	0,241	13180020	4029652132231
DN 25 (1")	10	60	0,368	13180025	4029652132248
DN 32 (1 1/4")	1	24	0,562	13180032	4029652132255
DN 40 (1 1/2")	1	24	0,712	13180040	4029652132262
DN 50 (2")	1	12	1,142	13180050	4029652132279
DN 80 (3")	1	5	2,563	13180080	4029652132286
DN 100 (4")	1	3	4,621	13180100	4029652132293

14180008	4029652142209
14180010	4029652142216
14180015	4029652142223
14180020	4029652142230
14180025	4029652142247
14180032	4029652142254
14180040	4029652142261
14180050	4029652142278
NEU 14180080	4029652142285
NEU 14180100	4029652142292

221 – ISO/EN Za1

Winkelverteiler I/I/I
Side outlet elbow F/F/F




DN 10 (3/8")	10	81	0,082	13221010	4029652132309
DN 15 (1/2")	10	81	0,115	13221015	4029652132316
DN 20 (3/4")	10	81	0,186	13221020	4029652132323
DN 25 (1")	10	36	0,311	13221025	4029652132330
DN 32 (1 1/4")	1	36	0,451	13221032	4029652132347
DN 40 (1 1/2")	1	36	0,611	13221040	4029652132354
DN 50 (2")	1	36	1,090	13221050	4029652132361

NEU 14221010	4029652142308
NEU 14221015	4029652142315
NEU 14221020	4029652142322
NEU 14221025	4029652142339
NEU 14221032	4029652142346
NEU 14221040	4029652142353
NEU 14221050	4029652142360

223 – ISO/EN Za2

T-Verteiler I/I/I/I
Side outlet tee equal F/F/F/F



DN 15 (1/2")	10	81	0,220	NEU 13223015	4029652132378
DN 20 (3/4")	10	81	0,307	NEU 13223020	4029652132385
DN 25 (1")	10	36	0,430	NEU 13223025	4029652132392

NEU 14223015	4029652142377
NEU 14223020	4029652142384
NEU 14223025	4029652142391

TASTA RACORDURI SRL

Importator pt. ROMANIA

Artikel/Abmessung
Article/Dimension

VPE klein / groß
PU small / large

kg
kg

Art.-Nr.
Art. No.

EAN-Code
EAN-Code

Art.-Nr.
Art. No.


EAN-Code
EAN-Code

verzinkt galvanized

schwarz black

240 – ISO/EN M2

Reduktionsmuffe I/I
Socket reducing F/F



DN 8 x 6	[1/4" x 1/8"]	10	0,023	13240001	4029652132408	14240001	4029652142407
DN 10 x 6	[3/8" x 1/8"]	10	0,038	13240002	4029652132415	14240002	4029652142414
DN 10 x 8	[3/8" x 1/4"]	10	0,041	13240003	4029652132422	14240003	4029652142421
DN 15 x 8	[1/2" x 1/4"]	10	0,048	13240005	4029652132439	14240005	4029652142438
DN 15 x 10	[1/2" x 3/8"]	10	0,064	13240006	4029652132446	14240006	4029652142445
DN 20 x 8	[3/4" x 1/4"]	10	0,114	13240008	4029652132453	14240008	4029652142452
DN 20 x 10	[3/4" x 3/8"]	10	0,091	13240009	4029652132460	14240009	4029652142469
DN 20 x 15	[3/4" x 1/2"]	10	0,097	13240010	4029652132477	14240010	4029652142476
DN 25 x 10	[1" x 3/8"]	10	0,138	13240013	4029652132484	14240013	4029652142483
DN 25 x 15	[1" x 1/2"]	10	0,147	13240014	4029652132491	14240014	4029652142490
DN 25 x 20	[1" x 3/4"]	10	0,152	13240015	4029652132507	14240015	4029652142506
DN 32 x 10	[1 1/4" x 3/8"]	1	0,168	13240018	4029652132514	14240018	4029652142513
DN 32 x 15	[1 1/4" x 1/2"]	1	0,203	13240019	4029652132521	14240019	4029652142520
DN 32 x 20	[1 1/4" x 3/4"]	1	0,210	13240020	4029652132538	14240020	4029652142537
DN 32 x 25	[1 1/4" x 1"]	1	0,233	13240021	4029652132545	14240021	4029652142544
DN 40 x 15	[1 1/2" x 1/2"]	1	0,251	13240025	4029652132552	14240025	4029652142551
DN 40 x 20	[1 1/2" x 3/4"]	1	0,277	13240026	4029652132569	14240026	4029652142568
DN 40 x 25	[1 1/2" x 1"]	1	0,273	13240027	4029652132576	14240027	4029652142575
DN 40 x 32	[1 1/2" x 1 1/4"]	1	0,296	13240028	4029652132583	14240028	4029652142582
DN 50 x 15	[2" x 1/2"]	1	0,389	13240032	4029652132590	14240032	4029652142599
DN 50 x 20	[2" x 3/4"]	1	0,392	13240033	4029652132606	14240033	4029652142605
DN 50 x 25	[2" x 1"]	1	0,417	13240034	4029652132613	14240034	4029652142612
DN 50 x 32	[2" x 1 1/4"]	1	0,446	13240035	4029652132620	14240035	4029652142629
DN 50 x 40	[2" x 1 1/2"]	1	0,467	13240036	4029652132637	14240036	4029652142636
DN 65 x 25	[2 1/2" x 1"]	1	0,524	13240042	4029652132644	14240042	4029652142643
DN 65 x 50	[2 1/2" x 2"]	1	0,709	13240045	4029652132651	14240045	4029652142650
DN 80 x 50	[3" x 2"]	1	0,989	13240054	4029652132668	14240054	4029652142667
DN 80 x 65	[3" x 2 1/2"]	1	1,055	13240055	4029652132675	14240055	4029652142674
DN 100 x 80	[4" x 3"]	1	1,802	13240066	4029652132682	14240066	4029652142681

241 – ISO/EN N4

Reduktionsstück A/I
Reducing bush M/F



DN 8 x 6	[1/4" x 1/8"]	10	0,015	13241001	4029652132699	14241001	4029652142698
DN 10 x 6	[3/8" x 1/8"]	10	0,021	13241002	4029652132705	14241002	4029652142704
DN 10 x 8	[3/8" x 1/4"]	10	0,019	13241003	4029652132712	14241003	4029652142711
DN 15 x 8	[1/2" x 1/4"]	10	0,040	13241005	4029652132729	14241005	4029652142728
DN 15 x 10	[1/2" x 3/8"]	10	0,033	13241006	4029652132736	14241006	4029652142735
DN 20 x 8	[3/4" x 1/4"]	10	0,065	13241008	4029652132743	14241008	4029652142742
DN 20 x 10	[3/4" x 3/8"]	10	0,068	13241009	4029652132750	14241009	4029652142759
DN 20 x 15	[3/4" x 1/2"]	10	0,058	13241010	4029652132767	14241010	4029652142766
DN 25 x 8	[1" x 1/4"]	10	0,113	13241012	4029652132774	14241012	4029652142773
DN 25 x 10	[1" x 3/8"]	10	0,115	13241013	4029652132781	14241013	4029652142780
DN 25 x 15	[1" x 1/2"]	10	0,107	13241014	4029652132798	14241014	4029652142797
DN 25 x 20	[1" x 3/4"]	10	0,085	13241015	4029652132804	14241015	4029652142803
DN 32 x 10	[1 1/4" x 3/8"]	1	0,203	13241018	4029652132811	14241018	4029652142810
DN 32 x 15	[1 1/4" x 1/2"]	1	0,206	13241019	4029652132828	14241019	4029652142827
DN 32 x 20	[1 1/4" x 3/4"]	1	0,170	13241020	4029652132835	14241020	4029652142834
DN 32 x 25	[1 1/4" x 1"]	1	0,135	13241021	4029652132842	14241021	4029652142841
DN 40 x 10	[1 1/2" x 3/8"]	1	0,271	13241024	4029652132859	14241024	4029652142858
DN 40 x 15	[1 1/2" x 1/2"]	1	0,257	13241025	4029652132866	14241025	4029652142865
DN 40 x 20	[1 1/2" x 3/4"]	1	0,246	13241026	4029652132873	14241026	4029652142872
DN 40 x 25	[1 1/2" x 1"]	1	0,213	13241027	4029652132880	14241027	4029652142889

TASTA RACORDURI SRL

Importator pt. ROMANIA

Artikel/Abmessung
Article/Dimension

VPE klein / groß
PU small / large

kg
kg

Art.-Nr.
Art. No.

EAN-Code
EAN-Code

Art.-Nr.
Art. No.

EAN-Code
EAN-Code

verzinkt galvanized

schwarz black

DN 40 x 32	[1 1/2" x 1 1/4"]	1	150	0,143	13241028	4029652132897	14241028	4029652142896
DN 50 x 15	[2" x 1/2"]	1	60	0,388	13241032	4029652132903	14241032	4029652142902
DN 50 x 20	[2" x 3/4"]	1	60	0,444	13241033	4029652132910	14241033	4029652142919
DN 50 x 25	[2" x 1"]	1	56	0,444	13241034	4029652132927	14241034	4029652142926
DN 50 x 32	[2" x 1 1/4"]	1	60	0,373	13241035	4029652132934	14241035	4029652142933
DN 50 x 40	[2" x 1 1/2"]	1	60	0,303	13241036	4029652132941	14241036	4029652142940
DN 65 x 25	[2 1/2" x 1"]	1	40	0,665	13241042	4029652132958	14241042	4029652142957
DN 65 x 32	[2 1/2" x 1 1/4"]	1	36	0,576	13241043	4029652132965	14241043	4029652142964
DN 65 x 40	[2 1/2" x 1 1/2"]	1	36	0,685	13241044	4029652132972	14241044	4029652142971
DN 65 x 50	[2 1/2" x 2"]	1	48	0,524	13241045	4029652132989	14241045	4029652142988
DN 80 x 20	[3" x 3/4"]	1	20	1,198	13241050	4029652132996	14241050	4029652142995
DN 80 x 25	[3" x 1"]	1	24	0,983	13241051	4029652133009	14241051	4029652143008
DN 80 x 32	[3" x 1 1/4"]	1	24	0,802	13241052	4029652133016	14241052	4029652143015
DN 80 x 40	[3" x 1 1/2"]	1	24	0,824	13241053	4029652133023	14241053	4029652143022
DN 80 x 50	[3" x 2"]	1	24	1,046	13241054	4029652133030	14241054	4029652143039
DN 80 x 65	[3" x 2 1/2"]	1	32	0,678	13241055	4029652133047	14241055	4029652143046
DN 100 x 40	[4" x 1 1/2"]	1	12	2,132	13241063	4029652133054	14241063	4029652143053
DN 100 x 50	[4" x 2"]	1	12	1,506	13241064	4029652133061	14241064	4029652143060
DN 100 x 65	[4" x 2 1/2"]	1	12	1,569	13241065	4029652133078	14241065	4029652143077
DN 100 x 80	[4" x 3"]	1	16	1,591	13241066	4029652133085	14241066	4029652143084

245 – ISO/EN N8


Reduktionsdoppelnippel A/A
Hexagon nipple reducing M/M



DN 8 x 6	[1/4" x 1/8"]	10	400	0,022	13245001	4029652133092	14245001	4029652143091
DN 10 x 6	[3/8" x 1/8"]	10	360	0,032	13245002	4029652133108	14245002	4029652143107
DN 10 x 8	[3/8" x 1/4"]	10	360	0,036	13245003	4029652133115	14245003	4029652143114
DN 15 x 8	[1/2" x 1/4"]	10	280	0,055	13245005	4029652133122	14245005	4029652143121
DN 15 x 10	[1/2" x 3/8"]	10	280	0,051	13245006	4029652133139	14245006	4029652143138
DN 20 x 10	[3/4" x 3/8"]	10	160	0,100	13245009	4029652133146	14245009	4029652143145
DN 20 x 15	[3/4" x 1/2"]	10	160	0,097	13245010	4029652133153	14245010	4029652143152
DN 25 x 10	[1" x 3/8"]	10	140	0,107	13245013	4029652133160	14245013	4029652143169
DN 25 x 15	[1" x 1/2"]	10	120	0,133	13245014	4029652133177	14245014	4029652143176
DN 25 x 20	[1" x 3/4"]	10	140	0,142	13245015	4029652133184	14245015	4029652143183
DN 32 x 20	[1 1/4" x 3/4"]	1	100	0,233	13245020	4029652133191	14245020	4029652143190
DN 32 x 25	[1 1/4" x 1"]	1	70	0,236	13245021	4029652133207	14245021	4029652143206
DN 40 x 15	[1 1/2" x 1/2"]	1	90	0,247	13245025	4029652133214	14245025	4029652143213
DN 40 x 20	[1 1/2" x 3/4"]	1	90	0,245	13245026	4029652133221	14245026	4029652143220
DN 40 x 25	[1 1/2" x 1"]	1	90	0,273	13245027	4029652133238	14245027	4029652143237
DN 40 x 32	[1 1/2" x 1 1/4"]	1	80	0,284	13245028	4029652133245	14245028	4029652143244
DN 50 x 25	[2" x 1"]	1	50	0,438	13245034	4029652133252	14245034	4029652143251
DN 50 x 32	[2" x 1 1/4"]	1	50	0,478	13245035	4029652133269	14245035	4029652143268
DN 50 x 40	[2" x 1 1/2"]	1	50	0,480	13245036	4029652133276	14245036	4029652143275
DN 65 x 50	[2 1/2" x 2"]	1	30	0,772	13245045	4029652133283	14245045	4029652143282
DN 80 x 50	[3" x 2"]	1	20	0,992	13245054	4029652133290	14245054	4029652143299
DN 80 x 65	[3" x 2 1/2"]	1	20	1,050	13245055	4029652133306	14245055	4029652143305

246 – ISO/EN M4

Muffe reduziert I/A
Sockt reducing F/M



DN 8 x 6	[1/4" x 1/8"]	10	-	0,027	13246001	4029652133313	14246001	4029652143312
DN 10 x 8	[3/8" x 1/4"]	10	280	0,032	13246003	4029652133320	14246003	4029652143329
DN 15 x 8	[1/2" x 1/4"]	10	280	0,044	13246005	4029652133337	14246005	4029652143336
DN 15 x 10	[1/2" x 3/8"]	10	280	0,066	13246006	4029652133344	14246006	4029652143343
DN 20 x 10	[3/4" x 3/8"]	10	160	0,095	13246009	4029652133351	14246009	4029652143350

TASTA RACORDURI SRL

Importator pt. ROMANIA

Artikel/Abmessung
Article/Dimension

VPE klein / groß
PU small / large

kg
kg

Art.-Nr.
Art. No.

EAN-Code
EAN-Code

Art.-Nr.
Art. No.

EAN-Code
EAN-Code

verzinkt galvanized

schwarz black

DN 20 x 15 [3/4" x 1/2"]
DN 25 x 15 [1" x 1/2"]
DN 25 x 20 [1" x 3/4"]
DN 32 x 20 [1 1/4" x 3/4"]
DN 32 x 25 [1 1/4" x 1"]
DN 40 x 20 [1 1/2" x 3/4"]
DN 40 x 25 [1 1/2" x 1"]
DN 40 x 32 [1 1/2" x 1 1/4"]
DN 50 x 25 [2" x 1"]
DN 50 x 32 [2" x 1 1/4"]
DN 50 x 40 [2" x 1 1/2"]

10 160 0,106
10 160 0,015
10 140 0,140
1 100 0,238
1 100 0,250
1 80 0,222
1 80 0,276
1 80 0,301
1 50 0,407
1 50 0,482
1 50 0,508


13246010 4029652133368
13246014 4029652133375
13246015 4029652133382
13246020 4029652133399
13246021 4029652133405
13246026 4029652133412
13246027 4029652133429
13246028 4029652133436
13246034 4029652133443
13246035 4029652133450
13246036 4029652133467

14246010 4029652143367
14246014 4029652143374
14246015 4029652143381
14246020 4029652143398
14246021 4029652143404
14246026 4029652143411
14246027 4029652143428
14246028 4029652143435
14246034 4029652143442
14246035 4029652143459
14246036 4029652143466

270 - ISO/EN M2

Muffe I/I

Socket equal F/F



DN 6 [1/8"]
DN 8 [1/4"]
DN 10 [3/8"]
DN 15 [1/2"]
DN 20 [3/4"]
DN 25 [1"]
DN 32 [1 1/4"]
DN 40 [1 1/2"]
DN 50 [2"]
DN 65 [2 1/2"]
DN 80 [3"]
DN 100 [4"]


10 250 0,023
10 250 0,033
10 250 0,050
10 200 0,075
10 130 0,105
10 120 0,173
1 100 0,243
1 70 0,318
1 36 0,516
1 20 0,779
1 14 1,143
1 8 1,989

13270006 4029652133474
13270008 4029652133481
13270010 4029652133498
13270015 4029652133504
13270020 4029652133511
13270025 4029652133528
13270032 4029652133535
13270040 4029652133542
13270050 4029652133559
13270065 4029652133566
13270080 4029652133573
13270100 4029652133580

14270006 4029652143473
14270008 4029652143480
14270010 4029652143497
14270015 4029652143503
14270020 4029652143510
14270025 4029652143527
14270032 4029652143534
14270040 4029652143541
14270050 4029652143558
14270065 4029652143565
14270080 4029652143572
14270100 4029652143589

271 - ISO/EN M2 R-L

Muffe mit Rechts-/Linksgewinde I/I
Socket right and left hand thread F/F



DN 8 [1/4"]
DN 10 [3/8"]
DN 15 [1/2"]
DN 20 [3/4"]
DN 25 [1"]
DN 32 [1 1/4"]
DN 40 [1 1/2"]
DN 50 [2"]
DN 65 [2 1/2"]
DN 80 [3"]

10 250 0,035
10 250 0,061
10 200 0,075
10 140 0,105
10 120 0,156
1 100 0,280
1 70 0,363
1 36 0,584
1 20 0,770
1 2 1,143

13271008 4029652133597
13271010 4029652133603
13271015 4029652133610
13271020 4029652133627
13271025 4029652133634
13271032 4029652133641
13271040 4029652133658
13271050 4029652133665
13271065 4029652133672
13271080 4029652133689

14271008 4029652143596
14271010 4029652143602
14271015 4029652143619
14271020 4029652143626
14271025 4029652143633
14271032 4029652143640
14271040 4029652143657
14271050 4029652143664
14271065 4029652143671
14271080 4029652143688

280 - ISO/EN N8

Doppelnippel A/A
Hexagon nipple M/M



DN 6 [1/8"]
DN 8 [1/4"]
DN 10 [3/8"]
DN 15 [1/2"]
DN 20 [3/4"]
DN 25 [1"]
DN 32 [1 1/4"]

10 550 0,020
10 400 0,030
10 360 0,041
10 250 0,059
10 160 0,093
10 130 0,142
1 100 0,228

13280006 4029652133696
13280008 4029652133702
13280010 4029652133719
13280015 4029652133726
13280020 4029652133733
13280025 4029652133740
13280032 4029652133757

14280006 4029652143695
14280008 4029652143701
14280010 4029652143718
14280015 4029652143725
14280020 4029652143732
14280025 4029652143749
14280032 4029652143756

TASTA RACORDURI SRL

Importator pt. ROMANIA

Artikel/Abmessung
Article/Dimension

VPE klein / groß
PU small / large

kg
kg

Art.-Nr.
Art. No.

EAN-Code
EAN-Code

Art.-Nr.
Art. No.

EAN-Code
EAN-Code

verzinkt galvanized

schwarz black

DN 40 (1 1/2")	1	80	0,276	13280040	4029652133764	14280040	4029652143763
DN 50 (2")	1	50	0,406	13280050	4029652133771	14280050	4029652143770
DN 65 (2 1/2")	1	24	0,606	13280065	4029652133788	14280065	4029652143787
DN 80 (3")	1	16	0,938	13280080	4029652133795	14280080	4029652143794
DN 100 (4")	1	10	1,515	13280100	4029652133801	14280100	4029652143800

290 – ISO/EN T9

Stopfen mit Rand
Plug beaded



DN 6 (1/8")	10	1000	0,010	13290006	4029652133818	14290006	4029652143817
DN 8 (1/4")	10	1000	0,017	13290008	4029652133825	14290008	4029652143824
DN 10 (3/8")	10	550	0,029	13290010	4029652133832	14290010	4029652143831
DN 15 (1/2")	10	400	0,041	13290015	4029652133849	14290015	4029652143848
DN 20 (3/4")	10	250	0,072	13290020	4029652133856	14290020	4029652143855
DN 25 (1")	10	200	0,119	13290025	4029652133863	14290025	4029652143862
DN 32 (1 1/4")	1	140	0,176	13290032	4029652133870	14290032	4029652143879
DN 40 (1 1/2")	1	100	0,237	13290040	4029652133887	14290040	4029652143886
DN 50 (2")	1	66	0,382	13290050	4029652133894	14290050	4029652143893
DN 65 (2 1/2")	1	36	0,666	13290065	4029652133900	14290065	4029652143909
DN 80 (3")	1	20	0,954	13290080	4029652133917	14290080	4029652143916
DN 100 (4")	1	12	1,776	13290100	4029652133924	14290100	4029652143923

291 – ISO/EN T8

Stopfen ohne Rand
Plug plain



DN 6 (1/8")	10	1200	0,008	13291006	4029652133931	14291006	4029652143930
DN 8 (1/4")	10	1000	0,014	13291008	4029652133948	14291008	4029652143947
DN 10 (3/8")	10	550	0,024	13291010	4029652133955	14291010	4029652143954
DN 15 (1/2")	10	400	0,035	13291015	4029652133962	14291015	4029652143961
DN 20 (3/4")	10	250	0,055	13291020	4029652133979	14291020	4029652143978
DN 25 (1")	10	200	0,097	13291025	4029652133986	14291025	4029652143985
DN 32 (1 1/4")	1	140	0,140	13291032	4029652133993	14291032	4029652143992
DN 40 (1 1/2")	1	100	0,162	13291040	4029652134006	14291040	4029652144005
DN 50 (2")	1	66	0,257	13291050	4029652134013	14291050	4029652144012
DN 65 (2 1/2")	1	36	0,438	13291065	4029652134020	14291065	4029652144029
DN 80 (3")	1	20	0,652	13291080	4029652134037	14291080	4029652144036
DN 100 (4")	1	12	1,450	13291100	4029652134044	14291100	4029652144043

300 – ISO/EN T1

Kappe kantig
Cap



DN 6 (1/8")	10	600	0,013	13300006	4029652134051	14300006	4029652144050
DN 8 (1/4")	10	600	0,019	13300008	4029652134068	14300008	4029652144067
DN 10 (3/8")	10	500	0,032	13300010	4029652134075	14300010	4029652144074
DN 15 (1/2")	10	300	0,046	13300015	4029652134082	14300015	4029652144081
DN 20 (3/4")	10	250	0,074	13300020	4029652134099	14300020	4029652144098
DN 25 (1")	10	150	0,104	13300025	4029652134105	14300025	4029652144104
DN 32 (1 1/4")	1	150	0,161	13300032	4029652134112	14300032	4029652144111
DN 40 (1 1/2")	1	65	0,193	13300040	4029652134129	14300040	4029652144128
DN 50 (2")	1	70	0,293	13300050	4029652134136	14300050	4029652144135
DN 65 (2 1/2")	1	40	0,536	13300065	4029652134143	14300065	4029652144142
DN 80 (3")	1	24	0,676	13300080	4029652134150	14300080	4029652144159
DN 100 (4")	1	12	1,300	13300100	4029652134167	14300100	4029652144166

TASTA RACORDURI SRL Importator pt. ROMANIA

Artikel/Abmessung
Article/Dimension

VPE klein / groß
PU small / large

kg
kg

Art.-Nr.
Art. No.

EAN-Code
EAN-Code

Art.-Nr.
Art. No.

EAN-Code
EAN-Code

verzinkt galvanized

schwarz black

301

Kappe rund
Cap rounded



DN 8 (1/4")	10 600	0,019	NEU 13301008	4029652134174	NEU 14301008	4029652144173
DN 10 (3/8")	10 500	0,032	NEU 13301010	4029652134181	NEU 14301010	4029652144180
DN 15 (1/2")	10 300	0,046	NEU 13301015	4029652134198	NEU 14301015	4029652144197
DN 20 (3/4")	10 250	0,074	NEU 13301020	4029652134204	NEU 14301020	4029652144203
DN 25 (1")	10 150	0,104	NEU 13301025	4029652134211	NEU 14301025	4029652144210
DN 32 (1 1/4")	1 140	0,161	NEU 13301032	4029652134228	NEU 14301032	4029652144227
DN 40 (1 1/2")	1 60	0,193	NEU 13301040	4029652134235	NEU 14301040	4029652144234
DN 50 (2")	1 70	0,293	NEU 13301050	4029652134242	NEU 14301050	4029652144241
DN 65 (2 1/2")	1 40	0,536	NEU 13301065	4029652134259	NEU 14301065	4029652144258
DN 80 (3")	1 24	0,676	NEU 13301080	4029652134266	NEU 14301080	4029652144265
DN 100 (4")	1 12	1,300	NEU 13301100	4029652134273	NEU 14301100	4029652144272

310 - ISO/EN P4

Gegenmutter kantig
Counter nut



DN 8 (1/4")	10 700	0,015	13310008	4029652134280	14310008	4029652144289
DN 10 (3/8")	10 500	0,027	13310010	4029652134297	14310010	4029652144296
DN 15 (1/2")	10 400	0,040	13310015	4029652134303	14310015	4029652144302
DN 20 (3/4")	10 300	0,048	13310020	4029652134310	14310020	4029652144319
DN 25 (1")	10 280	0,089	13310025	4029652134327	14310025	4029652144326
DN 32 (1 1/4")	1 200	0,122	13310032	4029652134334	14310032	4029652144333
DN 40 (1 1/2")	1 90	0,142	13310040	4029652134341	14310040	4029652144340
DN 50 (2")	1 100	0,237	13310050	4029652134358	14310050	4029652144357

312 - ISO/EN P4


Gegenmutter mit Aussparung
Counter nut recessed



DN 10 (3/8")	10 500	0,022	13312010	4029652134365	14312010	4029652144364
DN 15 (1/2")	10 400	0,028	13312015	4029652134372	14312015	4029652144371
DN 20 (3/4")	10 300	0,043	13312020	4029652134389	14312020	4029652144388
DN 25 (1")	10 360	0,069	13312025	4029652134396	14312025	4029652144395
DN 32 (1 1/4")	1 250	0,097	13312032	4029652134402	14312032	4029652144401
DN 40 (1 1/2")	1 2500	0,123	13312040	4029652134419	14312040	4029652144418
DN 50 (2")	1 60	0,201	13312050	4029652134426	14312050	4029652144425
DN 65 (2 1/2")	1 60	0,325	13312065	4029652134433	14312065	4029652144432
DN 80 (3")	1 25	???	13312080	4029652134440	NEU 14312080	4029652144449
DN 100 (4")	1 20	1,260	13312100	4029652134457	14312100	4029652144456

321

Gewindeflansch
Screwed flange



DN 15 (1/2")	10 80	0,210	NEU 13321015	4029652134464	NEU 14321015	4029652144463
DN 20 (3/4")	10 60	0,324	NEU 13321020	4029652134471	NEU 14321020	4029652144470
DN 25 (1")	10 70	0,550	NEU 13321025	4029652134488	NEU 14321025	4029652144487
DN 32 (1 1/4")	1 50	0,770	NEU 13321032	4029652134495	NEU 14321032	4029652144494
DN 40 (1 1/2")	1 38	0,978	NEU 13321040	4029652134501	14321040	4029652144500
DN 50 (2")	1 24	1,122	NEU 13321050	4029652134518	14321050	4029652144517

TASTA RACORDURI SRL

Importator pt. ROMANIA

Artikel/Abmessung
Article/Dimension

VPE klein / groß
PU small / large

kg
kg

Art.-Nr.
Art. No.

EAN-Code
EAN-Code

Art.-Nr.
Art. No.


EAN-Code
EAN-Code

verzinkt galvanized

schwarz black

330 – ISO/EN U1

Verschraubung flach dichtend I/I
Union flat seat F/F



DN 10 (3/8")	10	120	0,143	13330010	4029652134525	14330010	4029652144524
DN 15 (1/2")	10	80	0,172	13330015	4029652134532	14330015	4029652144531
DN 20 (3/4")	10	60	0,280	13330020	4029652134549	14330020	4029652144548
DN 25 (1")	10	60	0,392	13330025	4029652134556	14330025	4029652144555
DN 32 (1 1/4")	1	40	0,631	13330032	4029652134563	14330032	4029652144562
DN 40 (1 1/2")	1	30	0,787	13330040	4029652134570	14330040	4029652144579
DN 50 (2")	1	20	1,188	13330050	4029652134587	14330050	4029652144586
DN 65 (2 1/2")	1	10	1,802	13330065	4029652134594	14330065	4029652144593

331 – ISO/EN U2


Verschraubung flach dichtend I/A
Union flat seat F/M



DN 10 (3/8")	10	100	0,155	13331010	4029652134600	14331010	4029652144609
DN 15 (1/2")	10	60	0,203	13331015	4029652134617	14331015	4029652144616
DN 20 (3/4")	10	40	0,319	13331020	4029652134624	14331020	4029652144623
DN 25 (1")	10	30	0,451	13331025	4029652134631	14331025	4029652144630
DN 32 (1 1/4")	1	30	0,726	13331032	4029652134648	14331032	4029652144647
DN 40 (1 1/2")	1	24	0,892	13331040	4029652134655	14331040	4029652144654
DN 50 (2")	1	14	1,351	13331050	4029652134662	14331050	4029652144661

340 – ISO/EN U11

Verschraubung konisch dichtend I/I
Union taper seat F/F



DN 10 (3/8")	10	120	0,137	13340010	4029652134679	14340010	4029652144678
DN 15 (1/2")	10	80	0,178	13340015	4029652134686	14340015	4029652144685
DN 20 (3/4")	10	60	0,296	13340020	4029652134693	14340020	4029652144692
DN 25 (1")	10	60	0,383	13340025	4029652134709	14340025	4029652144708
DN 32 (1 1/4")	1	40	0,590	13340032	4029652134716	14340032	4029652144715
DN 40 (1 1/2")	1	30	0,683	13340040	4029652134723	14340040	4029652144722
DN 50 (2")	1	20	1,191	13340050	4029652134730	14340050	4029652144739
DN 65 (2 1/2")	1	10	1,791	13340065	4029652134747	14340065	4029652144746
DN 80 (3")	1	8	2,345	13340080	4029652134754	14340080	4029652144753
DN 100 (4")	1	4	3,822	13340100	4029652134761	14340100	4029652144760

341 – ISO/EN U12

Verschraubung konisch dichtend I/A
Union taper seat F/M



DN 8 (1/4")	10	140	0,121	13341008	4029652134778	14341008	4029652144777
DN 10 (3/8")	10	100	0,146	13341010	4029652134785	14341010	4029652144784
DN 15 (1/2")	10	60	0,200	13341015	4029652134792	14341015	4029652144791
DN 20 (3/4")	10	40	0,331	13341020	4029652134808	14341020	4029652144807
DN 25 (1")	10	50	0,437	13341025	4029652134815	14341025	4029652144814
DN 32 (1 1/4")	1	30	0,749	13341032	4029652134822	14341032	4029652144821
DN 40 (1 1/2")	1	24	0,851	13341040	4029652134839	14341040	4029652144838
DN 50 (2")	1	14	1,361	13341050	4029652134846	14341050	4029652144845
DN 65 (2 1/2")	1	6	2,158	13341065	4029652134853	14341065	4029652144852
DN 80 (3")	1	4	2,753	13341080	4029652134860	14341080	4029652144869

TASTA RACORDURI SRL

Importator pt. ROMANIA

Artikel/Abmessung
Article/Dimension

VPE klein / groß
PU small / large

kg
kg

Art.-Nr.
Art. No.

EAN-Code
EAN-Code

Art.-Nr.
Art. No.

EAN-Code
EAN-Code


verzinkt galvanized

schwarz black

471

Deckenwinkel
Elbow plate

DN 10 (3/8")
DN 15 (1/2")
DN 20 (3/4")
DN 25 (1")



10 80 0,122
10 50 0,204
10 30 0,338
10 20 0,491



13471010 4029652134877
13471015 4029652134884
13471020 4029652134891
13471025 4029652134907




14471010 4029652144999
14471015 4029652144968
14471020 4029652144975
14471025 4029652144982

529a – ISO/EN M4

Muffe I/A
Extension socket F/M

DN 10 (3/8")
DN 15 (1/2")
DN 20 (3/4")
DN 25 (1")
DN 32 (1 1/4")
DN 40 (1 1/2")
DN 50 (2")



10 250 0,046 **NEU** **13529010** 4029652134914
10 180 0,092 **NEU** **13529015** 4029652134921
10 130 0,125 **NEU** **13529020** 4029652134938
10 160 0,159 **NEU** **13529025** 4029652134945
1 100 0,251 **NEU** **13529032** 4029652134952
1 70 0,282 **NEU** **13529040** 4029652134969
1 30 0,464 **NEU** **13529050** 4029652134976



NEU **14529010** 4029652144999
NEU **14529015** 4029652145002
NEU **14529020** 4029652145019
NEU **14529025** 4029652145026
NEU **14529032** 4029652145033
NEU **14529040** 4029652145040
NEU **14529050** 4029652145057



TASTA RACORDURI SRL

Importator pt. ROMANIA

Artikel/Abmessung
Article/Dimension

VPE klein / groß
PU small / large

kg
kg

Art.-Nr.
Art. No.

EAN-Code
EAN-Code

Art.-Nr.
Art. No.

EAN-Code
EAN-Code

verzinkt galvanized

schwarz black

Dichtungen Sealings


DN 10 (3/8")	10	-	13600010	4029652134983	-	-
DN 15 (1/2")	10	-	13600015	4029652134990	-	-
DN 20 (3/4")	10	-	13600020	4029652135003	-	-
DN 25 (1")	10	-	13600025	4029652135010	-	-
DN 32 (1 1/4")	1	-	13600032	4029652135027	-	-
DN 40 (1 1/2")	1	-	13600040	4029652135034	-	-
DN 50 (2")	1	-	13600050	4029652135041	-	-
DN 65 (2 1/2")	1	-	13600065	4029652135058	-	-



372

Einlegeteil Insert


DN 25 (1")	-	-	0,080	-	-	14372025	4029652145064
DN 32 (1 1/4")	-	-	0,135	-	-	14372032	4029652145071



374

Überwurfmutter Union nut

DN 40 (1 1/2")	-	10	0,120	-	-	14374040	4029652145088
DN 50 (2")	-	10	0,205	-	-	14374050	4029652145095



Pumpenverschraubungssets

Pumpenverschraubungsset Pump screw set

DN 25 (1")	-	-	0,200	-	-	14372374	4029652144876 a. Anfr.
DN 32 (1 1/4")	-	-	0,340	-	-	14372375	4029652144883 a. Anfr.

Pumpenverschraubungsset mit Dichtung Pump screw set with sealing

DN 25 (1")	-	-	0,205	-	-	14372376	4029652144890 a. Anfr.
DN 32 (1 1/4")	-	-	0,345	-	-	14372377	4029652144906 a. Anfr.

Pumpenverschraubungsset (2 Sets) Pump screw set (2 sets)

DN 25 (1")	-	-	0,400	-	-	14372378	4029652144913 a. Anfr.
DN 32 (1 1/4")	-	-	0,680	-	-	14372379	4029652144920 a. Anfr.

Pumpenverschraubungsset (2 Sets) mit Dichtungen Pump screw set (2 sets) with sealings

DN 25 (1")	-	-	0,410	-	-	14372380	4029652144937 a. Anfr.
DN 32 (1 1/4")	-	-	0,690	-	-	14372381	4029652144944 a. Anfr.