



Cuplaje Push-on
XGQT4
P03



Cuplaje Angle-pad
GKS
P03



Cuplaje Rigide
XGQT1
P04



Cuplaje Elastic
XGQT2
P05



Cuplaje Elastic (Heavy-duty)
1212
P06



Cuplaje Rigide (Heavy-duty)
1512
P06



Cuplaje Elastic Reduse
XGQT3
P07



Cuplaje HDPE
P07



Coturi Canelate la 90°
XGQT01
P08



Coturi Canelate la 45°
XGQT011
P09



Coturi Canelate la 22.5°
XGQT012
P10



Coturi Canelate la 11.25°
XGQT013
P10



Coturi de Scurgere la 90°
Z601
P11



Coturi Reduse la 90°
XGQT014
P11



Teuri Canelate
XGQT03
P12



Teuri Reduse Canelate
XGQT03
P13



Teuri Bullhead
XGQT03
P15



Teuri Reduse Filetate
XGQT03S
P16



Cruci Canelate
XGQT05
P18



Cruci Reduse Canelate
XGQT05
P19



Cruci Reduse Filetate
XGQT05S
P21



Teuri Mecanice Canelate
XGQT04G
P23



Teuri Mecanice Filetate
XGQT04
P25



Teuri de Sprinkler U-Bolt
041
P28



Teuri de Sprinkler Full-Cast
L922
P28



Reductii Canelate
XGQT07
P29



Reductii Filetate
XGQT07S
P31



Reductii Excentrice Canelate
XGQT072
P33



Flanse Canelate PN16
XGQT09
P33



Flanse Canelate ANSI #125/150
L991
P34



Adaptoare Flansa PN16
XGQT08
P34



Adaptoare Flansa ANSI #125/150
L981
P35




Capace Canelate
XGQT06
P35





Capace Canelate cu Gaura Filetata Excentrica
XGQT061
P36

**Cuplaje Push-on
XGQT4**



DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni			Surub/Piulita	Clasa Presiune (Psi)
		ΦD (mm)	L (mm)	H (mm)	(inch/mm)	
32	42.4	71.5	112	47	2-3/8×60 (2-M10×60)	300
1 1/4	1.669					
40	48.3					
1 1/2	1.9	78	117	47		
50	60.3					
2	2.375	90	132	48		
65	76.1					
2 1/2	3	106	150	48	2-3/8×70 (2-M10×70)	
80	88.9					
3	3.5	121	164	49	2-1/2×75 (2-M12×75)	
100	114.3					
4	4.5	147	190	52		
125	139.7					
5	5.5	174	222	52	2-1/2×80 (2-M12×80)	
150	165.1					
6	6.5	203	262	51	2-5/8×85 (2-M16×85)	
150	168.3					
6	6.625	203	263	51		


**Cuplaje Angle-pad
GKS**



DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni			Surub/Piulita	Clasa Presiune
		ΦD (mm)	L (mm)	H (mm)	(inch/mm)	
25	33.7	56	96	47	3/8×2-3/8 (M10×60)	300
1	1.327					
32	42.4					
1 1/4	1.669	64	106	47		
40	48.3					
1 1/2	1.9	69	113	47		
50	60.3					
2	2.375	88	122	47		
65	73					
2 1/2	2.875	100	137	47		
65	76.1					
2 1/2	3	100	137	47		
80	88.9					
3	3.5	116	154	47		
100	114.3					
4	4.5	142	188	52		
125	139.7					
5	5.5	170	219	52		
125	141.3					
5	5.563	170	219	52		
150	159					
6	6.25	196	244	52		
150	165.1					
6	6.5	197	244	52		
150	168.3					
6	6.625	199	246	52		
200	219.1					
8	8.625	262	322	66		
250	273					
10	10.75	325	400	66		
300	323.9					
12	12.75	376	468	67		
350	355.6					
14	14	410	500	75		
400	406.4					
16	16	459	550	75		


Cuplaje Rigide
XGQT1

DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni			Surub/Piulita (inch/mm)	Clasa Presiune (Psi)
		ΦD (mm)	L (mm)	H (mm)		
25	33.7	55	97	45	3/8×1-1/2 (M10×40)	
1	1.327					
32	42.4					
1 1/4	1.669	63.5	107.5	45	3/8×1-3/4 (M10×45)	
40	48.3					
1 1/2	1.9	69	114	45		
50	57					
2	2.244	83.6	124	46		
50	60.3					
2	2.375	83.6	124	46		
65	73					
2 1/2	2.875	98	137	46	3/8×2-1/8 (M10×55)	
65	76.1					
2 1/2	3	98	139	46		
80	88.9					
3	3.5	114	156	46		
100	108					
4	4.25	138	186	50		
100	114.3					
4	4.5	142	189	50		
125	133					
5	5.25	164	213	50		
125	139.7					
5	5.5	170	222	50	1/2×2-5/8 (M12×65)	
125	141.3					
5	5.563	170	218	50		
150	159					
6	6.25	192	244	50		
150	165.1					
6	6.5	196	244	50		
150	168.3					
6	6.625	198	251	50		
200	216.3					
8	8.515	254	340	62	3/4×3-1/2 (M20×90)	
200	219.1					
8	8.625	256	316	58	5/8×3-1/8 (M16×80)	
250	267.4					
10	10.527	313	400	64	3/4×3-1/2 (M20×90)	
250	273					
10	10.75	319	393	64	3/4×3-1/2 (M20×90)	
300	318.5					
12	12.539	368	464	64	7/8×4-1/3 (M22×110)	
300	323.9					
12	12.75	374	453	65	3/4×4-1/3 (M20×110)	



300


**Cuplaje elastice
XGQT2**




DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni			Surub/Piulita	Clasa Presiune
		ΦD	L	H		
		(mm)	(mm)	(mm)	(inch/mm)	(Psi)
25	33.7	55	97	45	3/8×1-1/2 (M10×40)	300
1	1.327					
32	42.4					
11/4	1.669	63.5	107.5	45	3/8×1-3/4 (M10×45)	
40	48.3					
11/2	1.9	69	114	45		
50	57					
2	2.244	83.6	124	46		
50	60.3					
2	2.375	98	137	46	3/8×2-1/8 (M10×55)	
65	73					
21/2	2.875					
65	76.1	98	139	46		
21/2	3					
80	88.9	114	156	46		
3	3.5					
100	108	138	186	50		
4	4.25					
100	114.3	142	189	50		
4	4.5					
125	133	164	213	50		
5	5.25					
125	139.7	170	222	50	1/2×2-5/8 (M12×65)	
5	5.5					
125	141.3	170	218	50		
5	5.563					
150	159	192	244	50		
6	6.25					
150	165.1	196	244	50		
6	6.5					
150	168.3	198	251	50		
6	6.625					
200	216.3	254	340	62	3/4×3-1/2 (M20×90)	
8	8.515					
200	219.1	256	316	58	5/8×3-1/8 (M16×80)	
8	8.625					
250	267.4	313	400	64	3/4×3-1/2 (M20×90)	
10	10.527					
250	273.0	319	393	64	3/4×3-1/2 (M20×90)	
10	10.75					
300	318.5	368	464	64	7/8×4-1/3 (M22×110)	
12	12.539					
300	323.9	374	453	65	3/4×4-1/3 (M20×110)	
12	12.75					
350	355.6	410	510	75	7/8×4-1/3 (M22×110)	
14	14					
400	406.4	459	555	75	7/8×5-1/2 (M22×140)	
16	16					
450	457.2	516	606	78	7/8×5-1/2 (M22×140)	
18	18					
450	480.0	540	631	78	7/8×6-1/3 (M22×160)	
18	18.9					
500	508.0	567	674	78	7/8×5-1/2 (M22×140)	
20	20					
550	558.8	622	728	78	7/8×5-1/2 (M22×140)	
22	22					
600	609.6	674	778	78	1×5-9/10 (M24×150)	
24	24					

Cuplaje Elastice (Heavy-duty)
1212


DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni			Surub/Piulita (inch/mm)	Clasa Presiune (Psi)
		ΦD (mm)	L (mm)	H (mm)		
32	42.4	64	107.2	45	2-3/8×40 (2-M10×40)	500
1¼	1.669					
40	48.3					
1½	1.9	69.6	113	45		
50	60.3					
2	2.375					
65	73	83	124	46	2-3/8×55 (2-M10×55)	
2½	2.875					
65	76.1					
2½	3	101.6	146	47		
80	88.9					
3	3.5					
90	101.6	116	162	47		
3.5	4					
100	114.3					
4	4.5	129	175	47	2-1/2×70 (2-M12×70)	
125	139.7					
5	5.5					
125	141.3	171.6	230	52		
5	5.563					
150	165.1					
6	6.5	198.6	260	53		
150	168.3					
6	6.625					
200	219.1	200	261	53	2-3/4×110 (2-M20×110)	
8	8.625					
250	273.0					
10	10.75	263.4	336	63		
300	323.9					
12	12.75					
		326	410	66		
		381	469	66		




DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni			Surub/Piulita (inch/mm)	Clasa Presiune (Psi)
		ΦD (mm)	L (mm)	H (mm)		
32	42.4	64	106	47	2-3/8×40 (2-M10×40)	500
1 1/4	1.669					
40	48.3					
1 1/2	1.9	69.4	113	47	2-3/8×60 (2-M10×60)	
50	60.3					
2	2.375					
65	73	100	141	47	2-1/2×70 (2-M12×70)	
2 1/2	2.875					
65	76.1					
2 1/2	3	101.6	142	47	2-1/2×75 (2-M12×75)	
80	88.9					
3	3.5					
100	114.3	144.4	194	51	2-5/8×80 (2-M16×80)	
4	4.5					
125	139.7					
5	5.5	171.6	230	52	2-3/4×120 (2-M20×120)	
125	141.3					
5	5.563					
150	165.1	198.6	255	53	2-7/8×190 (2-M22×190)	
6	6.5					
150	168.3					
6	6.625	200	256	53	2-7/8×190 (2-M22×190)	
200	219.1					
8	8.625					
250	273	326	404	65	2-7/8×190 (2-M22×190)	
10	10.75					
300	323.9					
12	12.75	381	468	65		



**Cuplaje Elastice Reduse
XGQT3**



Cuplaje HDPE




DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni			Surub/Piulita (inch/mm)	Clasa Presiune (Psi)
		ΦD (mm)	L (mm)	H (mm)		
		50×40	60.3×48.3	82	130	
2×1 1/2	2.375×1.9					
65×25	73×33.7					
2 1/2×1	2.875×1.327	97	151	46		
65×32	73×42.4					
2 1/2×1 1/4	2.875×1.669					
65×40	73×48.3	97	151	46		
2 1/2×1 1/2	2.875×1.9					
65×50	73×60.3					
2 1/2×2	2.875×2.375	97	151	46		
65×50	76.1×60.3					
2 1/2×2	3×2.375					
80×40	88.9×48.3	112	166.6	46	1/2×2-5/8 (M12×65)	
3×1 1/2	3.5×1.9					
80×50	88.9×60.3					
3×2	3.5×2.375	123.6	166.6	46		
80×65	88.9×73.0					
3×2 1/2	3.5×2.875					
80×65	88.9×76.1	123.6	166.6	46		
3×2 1/2	3.5×3					
100×50	114.3×60.3					
4×2	4.5×2.375	151.2	200	50		
100×65	114.3×73.0					
4×2 1/2	4.5×2.875					
100×65	114.3×76.1	151.2	200	50		
4×2 1/2	4.5×3.0					
100×80	114.3×88.9					
4×3	4.5×3.5	151.2	200	50		
125×100	141.3×114.3					
5×4	5.563×4.5					
150×80	165.1×88.9	197	275	52	5/8×3-1/8 (M16×80)	
6×3	6.5×3.5					
150×100	165.1×114.3					
6×4	6.5×4.5	197	275	52		
150×65	168.3×73					
6×2 1/2	6.525×2.875					
150×80	168.3×88.9	199.4	275	52		
6×3	6.525×3.5					
150×100	168.3×114.3					
6×4	6.525×4.5	199.4	275	52		
150×100	168.3×141.3					
6×5	6.625×5.563					
200×150	219.1×168.3	199.4	275	52		
8×6	8.625×6.525					
		258	336	58	3/4×4-1/3 (M20×110)	

DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni			Surub/Piulita
		ΦD (mm)	L (mm)	H (mm)	Size (mm)
50	63	85	128	105	3/8×2-1/8 (M10×55)
2	2.5				1/2×3 (M12×75)
80	90				1/2×3 (M12×75)
3	3.5	110	169	105	1/2×3 (M12×75)
100	110				5/8×3-1/2 (M16×90)
4	4.3				5/8×3-1/2 (M16×90)
150	160	190	261	147	5/8×4-3/4 (M16×120)
6	6.3				3/4×4-3/4 (M20×120)
200	200				
8	7.9	233	319	154	
250	250				
10	9.8				
300	315	351	442	136	
12	12.4				


DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni	Clasa Presiune (Psi)
		L (mm)	
50	60.3	70	300
2	2.375		
65	73		
2 1/2	2.875	76	
65	76.1		
2 1/2	3	76	
80	88.9		
3	3.5	85	
100	108		
4	4.25	102	
100	114.3		
4	4.5	102	
125	133		
5	5.25	121	
125	139.7	121	
5	5.5		
125	141.3	121	
5	5.563		
150	159	130	
6	6.25		
150	165.1	130	
6	6.5		
150	168.3	140	
6	6.625		
200	219.1	175	
8	8.625		
250	273	215	
10	10.75		
300	323.9		
12	12.75	220	

DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni	Clasa Presiune (Psi)
		L (mm)	
25	33.7	57	300
1	1.327		
32	42.4		
1 1/4	1.669	70	
40	48.3		
1 1/2	1.9	70	
50	60.3		
2	2.375	83	
65	73		
2 1/2	2.875	95	
65	76.1		
2 1/2	3	95	
80	88.9		
3	3.5	108	
100	114.3		
4	4.5	127	
125	139.7		
5	5.5	140	
125	141.3		
5	5.563	140	
150	159		
6	6.25	165	
150	165.1		
6	6.5	165	
150	168.3		
6	6.625	165	
200	219.1		
8	8.625	197	


Coturi Canelate la 90° - Scurte XGQT01



Coturi Canelate la 90° - Standard XGQT01L




Coturi Canelate la 45° - Scurte
XGQT011



DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni	Clasa Presiune (Psi)
		L (mm)	
65	76.1	48	300
21/2	3		
80	88.9	53	
3	3.5		
100	108	60	
4	4.25		
100	114.3	60	
4	4.5		
125	133	68	
5	5.25		
125	139.7	68	
5	5.5		
125	141.3	68	
5	5.563		
150	159	75.5	
6	6.25		
150	165.1	75.5	
6	6.5		
150	168.3	75.5	
6	6.625		
200	219.1	95	
8	8.625		
250	273	112	
10	10.75		
300	323.9	135	
12	12.75		


Coturi Canelate la 45° - Standard
XGQT011L



DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni	Clasa Presiune (Psi)
		L (mm)	
25	33.7	45	300
1	1.327		
32	42.4		
1 1/4	1.669	45	
40	48.3		
1 1/2	1.9		
50	60.3	45	
2	2.375		
65	73		
2 1/2	2.875	62	
65	76.1		
2 1/2	3		
80	88.9	62	
3	3.5		
100	108		
4	4.25	70	
100	108		
4	4.25		
100	114.3	76	
4	4.5		
125	133		
5	5.25	76	
125	133		
5	5.25		
125	139.7	83	
5	5.5		
125	141.3		
5	5.563	83	
150	159		
6	6.25		
150	165.1	89	
6	6.5		
150	168.3		
6	6.625	89	
200	219.1		
8	8.625		


DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni	Clasa Presiune (Psi)
		L (mm)	
50	60.3	48	300
2	2.375		
65	73		
2 1/2	2.875	51	
65	76.1		
2 1/2	3		
80	88.9	57	
3	3.5		
100	108		
4	4.25	73	
100	114.3		
4	4.5		
125	133	73	
5	5.25		
125	139.7		
5	5.5	73	
125	141.3		
5	5.563		
150	159	79	
6	6.25		
150	165.1		
6	6.5	79	
150	168.3		
6	6.625		
200	219.1	98	
8	8.625		

Coturi Canelate la 22.5° XGQT012




DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni	Clasa Presiune (Psi)
		L (mm)	
50	60.3	35	300
2	2.375		
65	73		
2 1/2	2.875	38	
65	76.1		
2 1/2	3		
80	88.9	38	
3	3.5		
100	108		
4	4.25	45	
100	114.3		
4	4.5		
125	133	51	
5	5.25		
125	139.7		
5	5.5	51	
125	141.3		
5	5.563		
150	159	51	
6	6.25		
150	165.1		
6	6.5	51	
150	168.3		
6	6.625		
200	219.1	51	
8	8.625		

Coturi Canelate la 11.25° XGQT013




**Coturi de Scurgere la 90°
2601**



DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni			Clasa Presiune (Psi)
		L (mm)	H (mm)	P (mm)	
50	60.3	83	70	37.5	2.5MPa (300PSI)
2	2.375				
65	73	95	70	45	
2 1/2	2.875				
65	76.1	95	70	45	
2 1/2	3				
80	88.9	108	70	55	
3	3.5				
100	114.3	127	70	68.5	
4	4.5				
125	139.7	140	70	82	
5	5.5				
125	141.3	140	70	82	
5	5.563				
150	165.1	165	70	95.5	
6	6.5				
150	168.3	165	70	95.5	
6	6.625				

**Coturi Reduse la 90°
XGQT014**




DN (mm/inch)	Dimensiuni L (mm)	Clasa Presiune (Psi)
32×15	61	300
1 1/4×1/2		
32×20		
1 1/4×3/4		
32×25		
1 1/4×1	64	
40×15		
1 1/2×1/2		
40×20		
1 1/2×3/4		
40×25	70	
1 1/2×1		
50×15		
2×1/2		
50×20		
2×3/4	76	
50×25		
2×1		
65×15		
2 1/2×1/2		
65×20	76	
2 1/2×3/4		
65×25		
2 1/2×1		


DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni	Clasa Presiune (Psi)
		L (mm)	
50	60.3	70	300
2	2.375		
65	73	76	
2½	2.875		
65	76.1	76	
2½	3		
80	88.9	85	
3	3.5		
100	108	102	
4	4.25		
100	114.3	102	
4	4.5		
125	133	121	
5	5.25		
125	139.7	121	
5	5.5		
125	141.3	121	
5	5.563		
150	159	130	
6	6.25		
150	165.1	130	
6	6.5		
150	168.3	140	
6	6.625		
200	219.1	175	
8	8.625		
250	273	215	
10	10.75		
300	323.9	220	
12	12.75		

DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni	Clasa Presiune (Psi)
		L (mm)	
25	33.7	57	300
1	1.327		
32	42.4		
1 1/4	1.669	70	
40	48.3		
1 1/2	1.9	70	
50	60.3		
2	2.375	84	
65	73		
2 1/2	2.875	95	
65	76.1		
2 1/2	3	95	
80	88.9		
3	3.5	108	
100	114.3		
4	4.5	127	
125	139.7		
5	5.5	140	
125	141.3		
5	5.563	140	
150	159		
6	6.25	165	
150	165.1		
6	6.5	165	
150	168.3		
6	6.625	165	
200	219.1		
8	8.625	197	


Teuri Canelate Scurte XGQT03




Teuri Canelate Standard XGQT03L



**Teuri Canelate Reduse
XGOT03**




DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni					Clasa Presiune (Psi)
		L (mm)			D (mm)	d (mm)	
		L	L1	L			
		SHORT		SHORT (+)			
50×32	60.3×42.4			70	60	42	300
2×1¼	2.375×1.669						
50×40	60.3×48.3			70	60	48	
2×1½	2.375×1.9						
65×32	73×42.4			76	73	42	
2½×1¼	2.875×1.669						
65×40	73×48.3			76	73	48	
2½×1½	2.875×1.9						
65×50	73×60.3			76	73	60	
2½×2	2.875×2.375						
65×32	76.1×42.4			76	76	42	
2½×1¼	3×1.669						
65×40	76.1×48.3			76	76	48	
2½×1½	3×1.9						
65×50	76.1×60.3			76	76	60	
2½×2	3×2.375						
80×32	88.9×42.4			86	89	42	
3×1¼	3.5×1.669						
80×40	88.9×48.3			86	89	48	
3×1½	3.5×1.9						
80×50	88.9×60.3			86	89	60	
3×2	3.5×2.375						
80×65	88.9×73			86	89	73	
3×2½	3.5×2.875						
80×65	88.9×76.1			86	89	76	
3×2½	3.5×3						
100×50	108×60.3	90	98	102	108	60	
4×2	4.25×2.375						
100×65	108×73	90	98	102	108	73	
4×2½	4.25×2.875						
100×65	108×76.1	90	98	102	108	76	
4×2½	4.25×3						
100×80	108×88.9	90	98	102	108	89	
4×3	4.25×3.5						
100×32	114.3×42.4	90	98	102	114	42	
4×1¼	4.5×1.669						
100×40	114.3×48.3	90	98	102	114	48	
4×1½	4.5×1.9						
100×50	114.3×60.3	90	98	102	114	60	
4×2	4.5×2.375						
100×65	114.3×73	90	98	102	114	73	
4×2½	4.5×2.875						
100×65	114.3×76.1	90	98	102	114	76	
4×2½	4.5×3						
100×80	114.3×88.9	90	98	102	114	89	
4×3	4.5×3.5						
125×65	133×76.1	105		121	133	76	
5×2½	5.25×3						
125×80	133×88.9	105		121	133	89	
5×3	5.25×3.5						
125×100	133×108	105		121	133	108	
5×4	5.25×4.25						
125×100	133×114.3	105		121	133	114	
5×4	5.25×4.5						
125×50	139.7×60.3	105		121	140	60	
5×2	5.5×2.375						
125×65	139.7×76.1	105		121	140	76	
5×2½	5.5×3						
125×80	139.7×88.9	105		121	140	89	
5×3	5.5×3.5						
125×100	139.7×108	105		121	140	108	
5×4	5.5×4.25						

Teuri Canelate Reduse
XGQT03


DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni					Clasa Presiune (Psi)
		L (mm)			D (mm)	d (mm)	
		L	L1	L			
		SHORT		SHORT (+)			
125×100	139.7×114.3	105		121		140	114
5×4	5.5×4.5						
125×125	139.7×133	105		121		140	133
5×5	5.5×5.25						
125×50	141.3×60.3	105		121		141	60
5×2	5.563×2.375						
125×65	141.3×73	105		121		141	73
5×2½	5.563×2.875						
125×80	141.3×88.9	105		121		141	89
5×3	5.563×3.5						
125×100	141.3×114.3	105		121		141	114
5×4	5.563×4.5						
150×65	159×76.1	110	120	130	159	76	
6×2½	6.25×3						
150×80	159×88.9	110	120	130	159	89	
6×3	6.25×3.5						
150×100	159×108	110	120	130	159	108	
6×4	6.25×4.25						
150×100	159×114.3	110	120	130	159	114	
6×4	6.25×4.5						
150×125	159×133	110	120	130	159	133	
6×5	6.25×5.25						
150×125	159×139.7	110	120	130	159	140	
6×5	6.25×5.5						
150×50	165.1×60.3	110	120	130	165	60	
6×2	6.5×2.375						
150×65	165.1×76.1	110	120	130	165	76	
6×2½	6.5×3						
150×80	165.1×88.9	110	120	130	165	89	
6×3	6.5×3.5						
150×100	165.1×108	110	120	130	165	108	
6×4	6.5×4.25						
150×100	165.1×114.3	110	120	130	165	114	
6×4	6.5×4.5						
150×125	165.1×133	110	120	130	165	133	
6×5	6.5×5.25						
150×125	165.1×139.7	110	120	130	165	140	
6×5	6.5×5.5						
150×50	168.3×60.3	110	120	140	168	60	
6×2	6.625×2.375						
150×65	168.3×76.1	110	120	140	168	76	
6×2½	6.625×3						
150×80	168.3×88.9	110	120	140	168	89	
6×3	6.625×3.5						
150×100	168.3×108	110	120	140	168	108	
6×4	6.625×4.25						
150×100	168.3×114.3	110	120	140	168	114	
6×4	6.625×4.5						
150×125	168.3×133	110	120	140	168	133	
6×5	6.625×5.25						
150×125	168.3×139.7	110	120	140	168	140	
6×5	6.625×5.5						
200×65	219.1×76.1	146		174	219	76	
8×2½	8.625×3						
200×80	219.1×88.9	146		174	219	89	
8×3	8.625×3.5						
200×100	219.1×108	146		174	219	108	
8×4	8.625×4.25						
200×100	219.1×114.3	146		174	219	114	
8×4	8.625×4.5						
200×125	219.1×133	146		174	219	133	
8×5	8.625×5.25						

**Teuri Canelae Reduse
XGQT03**




DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni				Clasa Presiune (Psi)
		L (mm)		D (mm)	d (mm)	
		L	L1			
		SHORT	SHORT (+)			
200×125	219.1×139.7	146	174	219	140	300
8×5	8.625×5.5					
200×150	219.1×159	146	174	219	159	
8×6	8.625×6.25					
200×150	219.1×165.1	146	174	219	165	
8×6	8.625×6.5					
250×80	273×88.9	190		273	89	
10×3	10.75×3.5					
250×100	273×108	190		273	108	
10×4	10.75×4.25					
250×100	273×114.3	190		273	114	
10×4	10.75×4.5					
250×125	273×133	190		273	133	
10×5	10.75×5.25					
250×125	273×139.7	190		273	140	
10×5	10.75×5.5					
250×125	273×141.3	190		273	141	
10×5	10.75×5.563					
250×150	273×159	190		273	159	
10×6	10.75×6.25					
250×150	273×165.1	190		273	165	
10×6	10.75×6.5					
250×150	273×168.3	190		273	168	
10×6	10.75×6.625					
250×200	273×219.1	190		273	219	
10×8	10.75×8.625					
300×150	323.9×159	220		325	159	
12×6	12.75×6.25					
300×150	323.9×165.1	220		325	165	
12×6	12.75×6.5					
300×150	323.9×168.3	220		325	168	
12×6	12.75×6.625					
300×200	323.9×219.1	220		325	219	
12×8	12.75×8.625					
300×250	323.9×273	220		325	273	
12×10	12.75×10.75					

**Teuri Bullhead
XGQT03**




DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni				Clasa Presiune (Psi)
		L (mm)		D	d	
		L	L1	(mm)	(mm)	
80×100	88.9×114.3	115	125	89	114	2,5MPa (300Psi)
3×4	3.5×4.5					
100×150	114.3×165.1	140		114	165	
4×6	4.5×6.5					

Teuri Reduse Filetate
XGQT03S

DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni			Clasa Presiune (Psi)	
		L (mm)		D		d
		L	L1	(mm)		(mm)
50×25	60.3×33.7	70		60	43	300
2×1	2.375×1.327					
50×32	60.3×42.4	70		60	52	
2×1¼	2.375×1.669					
50×40	60.3×48.3	70		60	58	
2×1½	2.375×1.9					
65×25	73.0×33.7	76		73	43	
2½×1	2.875×1.327					
65×32	73.0×42.4	76		73	52	
2½×1¼	2.875×1.669					
65×40	73.0×48.3	76		73	58	
2½×1½	2.875×1.9					
65×50	73.0×60.3	76		73	70	
2½×2	2.875×2.375					
65×25	76.1×33.7	76		76	43	
2½×1	3×1.327					
65×32	76.1×42.4	76		76	52	
2½×1¼	3×1.669					
65×40	76.1×48.3	76		76	58	
2½×1½	3×1.9					
65×50	76.1×60.3	76		76	70	
2½×2	3×2.375					
80×25	88.9×33.7	86		89	43	
3×1	3.5×1.327					
80×32	88.9×42.4	86		89	52	
3×1¼	3.5×1.669					
80×40	88.9×48.3	86		89	56	
3×1½	3.5×1.9					
80×50	88.9×60.3	86		89	70	
3×2	3.5×2.375					
80×65	88.9×76.1	86		89	86	
3×2½	3.5×3					
100×40	108.0×48.3	90	98	108	58	
4×1½	4.25×1.9					
100×50	108.0×60.3	90	98	108	70	
4×2	4.25×2.375					
100×65	108.0×76.1	90	98	108	86	
4×2½	4.25×3					
100×80	108×88.9	90	98	108	99	
4×3	4.25×3.5					
100×25	114.3×33.7	90	98	114	43	
4×1	4.5×1.327					
100×32	114.3×42.4	90	98	114	52	
4×1¼	4.5×1.669					
100×40	114.3×48.3	90	98	114	58	
4×1½	4.5×1.9					
100×50	114.3×60.3	90	98	114	70	
4×2	4.5×2.375					
100×65	114.3×76.1	90	98	114	86	
4×2½	4.5×3					
100×80	114.3×88.9	90	98	114	99	
4×3	4.5×3.5					
125×50	133.0×60.3	105		133	70	
5×2	5.25×2.375					
125×65	133.0×76.1	105		133	86	
5×2½	5.25×3					
125×80	133.0×88.9	105		133	99	
5×3	5.25×3.5					
125×100	133.0×114.3	105		133	124	
5×4	5.25×4.5					
125×40	139.7×48.3	105		140	58	
5×1½	5.5×1.9					

**Teuri Reduse Filetate
XGQT03S**




DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni			Clasa Presiune (Psi)
		L (mm)		D (mm)	
		L	L1		
125×50	139.7×60.3	105		140	70
5×2	5.5×2.375				
125×65	139.7×76.1	105		140	86
5×2½	5.5×3				
125×80	139.7×88.9	105		140	99
5×3	5.5×3.5				
125×100	139.7×114.3	105		140	124
5×4	5.5×4.5				
125×40	141.3×48.3	105		141	58
5×1½	5.563×1.9				
125×50	141.3×60.3	105		141	70
5×2	5.563×2.375				
125×65	141.3×76.1	105		141	86
5×2½	5.563×3				
125×80	141.3×88.9	105		141	99
5×3	5.563×3.5				
125×100	141.3×114.3	105		141	124
5×4	5.563×4.5				
150×40	159.0×48.3	110	120	159	58
6×1½	6.25×1.9				
150×50	159.0×60.3	110	120	159	70
6×2	6.25×2.375				
150×65	159.0×76.1	110	120	159	86
6×2½	6.25×3				
150×80	159.0×88.9	110	120	159	99
6×3	6.25×3.5				
150×100	159.0×114.3	110	120	159	124
6×4	6.25×4.5				
150×40	165.1×48.3	110	120	165	58
6×1½	6.5×1.9				
150×50	165.1×60.3	110	120	165	70
6×2	6.5×2.375				
150×65	165.1×76.1	110	120	165	86
6×2½	6.5×3				
150×80	165.1×88.9	110	120	165	99
6×3	6.5×3.5				
150×100	165.1×114.3	110	120	165	124
6×4	6.5×4.5				
150×40	168.3×48.3	110	120	168	58
6×1½	6.625×1.9				
150×50	168.3×60.3	110	120	168	70
6×2	6.625×2.375				
150×65	168.3×76.1	110	120	168	86
6×2½	6.625×3				
150×80	168.3×88.9	110	120	168	99
6×3	6.625×3.5				
150×100	168.3×114.3	110	120	168	124
6×4	6.625×4.5				
200×50	219.1×60.3	146		219	70
8×2	8.625×2.375				
200×50	219.1×76.1	146		219	86
8×2½	8.625×3				
200×80	219.1×88.9	146		219	99
8×3	8.625×3.5				
200×100	219.1×114.3	146		219	124
8×4	8.625×4.5				

300


DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni	Clasa Presiune (Psi)
		L (mm)	
		Short	
50	60.3	70	300
2	2.375		
65	73	76	
2½	2.875		
65	76.1	76	
2½	3		
80	88.9	86	
3	3.5		
100	108	102	
4	4.25		
100	114.3	102	
4	4.5		
125	133	121	
5	5.25		
125	139.7	121	
5	5.5		
150	159	130	
6	6.25		
150	165.1	130	
6	6.5		
150	168.3	140	
6	6.625		
200	219.1	174	
8	8.625		
250	273	215	
10	10.75		
300	323.9	245	
12	12.75		

Cruci Canelate Scurte XGQT05




DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni	Clasa Presiune (Psi)
		L (mm)	
		Standard	
50	60.3	83	300
2	2.375		
65	73		
2½	2.875	95	
65	76.1	95	
2½	3		
80	88.9		
3	3.5	108	
100	108	127	
4	4.25		
100	114.3		
4	4.5	127	
125	133	140	
5	5.25		
125	139.7		
5	5.5	140	
150	159	165	
6	6.25		
150	165.1		
6	6.5	165	
150	168.3	165	
6	6.625		
200	219.1		
8	8.625	197	
250	273	229	
10	10.75		
300	323.9		
12	12.75	254	


Cruci Canelate Standard XGQT05



Cruci Canelate Reduse
XGQT05




DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni			Clasa Presiune (Psi)	
		L (mm)		D		d
		L	L1	(mm)		(mm)
65×32	73×42.4	76		73	42	300
2½×1¼	2.875×1.669					
65×40	73×48.3	76		73	48	
2½×1½	2.875×1.9					
65×50	73×60.3	76		73	60	
2½×2	2.875×2.375					
65×32	76.1×42.4	76		76	42	
2½×1¼	3×1.669					
65×40	76.1×48.3	76		76	48	
2½×1½	3×1.9					
65×50	76.1×60.3	76		76	60	
2½×2	3×2.375					
80×32	88.9×42.4	86		89	42	
3×1¼	3.5×1.669					
80×40	88.9×48.3	86		89	48	
3×1½	3.5×1.9					
80×50	88.9×60.3	86		89	60	
3×2	3.5×2.375					
80×65	88.9×76.1	86		89	76	
3×2½	3.5×3					
100×50	108×60.3	90	98	108	60	
4×2	4.25×2.375					
100×65	108×76.1	90	98	108	76	
4×2½	4.25×3					
100×80	108×88.9	90	98	108	89	
4×3	4.25×3.5					
100×32	114.3×42.4	90	98	114	42	
4×1¼	4.5×1.669					
100×40	114.3×48.3	90	98	114	48	
4×1½	4.5×1.9					
100×50	114.3×60.3	90	98	114	60	
4×2	4.5×2.375					
100×65	114.3×76.1	90	98	114	76	
4×2½	4.5×3					
100×80	114.3×88.9	90	98	114	89	
4×3	4.5×3.5					
125×65	133×76.1	105		133	76	
5×2½	5.25×3					
125×80	133×88.9	105		133	89	
5×3	5.25×3.5					
125×100	133×108	105		133	108	
5×4	5.25×4.25					
125×100	133×114.3	105		133	114	
5×4	5.25×4.5					
125×50	139.7×60.3	105		140	60	
5×2	5.5×2.375					
125×65	139.7×76.1	105		140	76	
5×2½	5.5×3					
125×80	139.7×88.9	105		140	89	
5×3	5.5×3.5					
125×100	139.7×108	105		140	108	
5×4	5.5×4.25					
125×100	139.7×114.3	105		140	114	
5×4	5.5×4.5					
125×50	141.3×60.3	105		141	60	
5×2	5.563×2.375					
125×65	141.3×73	105		141	73	
5×2½	5.563×2.875					
125×80	141.3×88.9	105		141	89	
5×3	5.563×3.5					
125×100	141.3×108	105		141	108	
5×4	5.563×4.25					

Cruci Canelate Reduse
XGQT05


300

DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni			Clasa Presiune (Psi)
		L (mm)		D (mm)	d (mm)
125×100	141.3×114.3	105	120	141	114
5×4	5.563×4.5				
150×65	159×76.1	110	120	159	76
6×2½	6.25×3				
150×80	159×88.9	110	120	159	89
6×3	6.25×3.5				
150×100	159×108	110	120	159	108
6×4	6.25×4.25				
150×100	159×114.3	110	120	159	114
6×4	6.25×4.5				
150×125	159×133	110	120	159	133
6×5	6.25×5.25				
150×50	165.1×60.3	110	120	165	60
6×2	6.5×2.375				
150×65	165.1×76.1	110	120	165	76
6×2½	6.5×3				
150×80	165.1×88.9	110	120	165	89
6×3	6.5×3.5				
150×100	165.1×108	110	120	165	108
6×4	6.5×4.25				
150×100	165.1×114.3	110	120	165	114
6×4	6.5×4.5				
150×125	165.1×133	110	120	165	133
6×5	6.5×5.25				
150×125	165.1×139.7	110	120	165	140
6×5	6.5×5.5				
150×50	168.3×60.3	110	120	168	60
6×2	6.625×2.375				
150×65	168.3×76.1	110	120	168	76
6×2½	6.625×3				
150×80	168.3×88.9	110	120	168	89
6×3	6.625×3.5				
150×100	168.3×108	110	120	168	108
6×4	6.625×4.25				
150×100	168.3×114.3	110	120	168	114
6×4	6.625×4.5				
150×125	168.3×133	110	120	168	133
6×5	6.625×5.25				
150×125	168.3×139.7	110	120	168	140
6×5	6.625×5.5				
200×65	219.1×76.1	146	120	219	76
8×2½	8.625×3				
200×80	219.1×88.9	146	120	219	89
8×3	8.625×3.5				
200×100	219.1×108	146	120	219	108
8×4	8.625×4.25				
200×100	219.1×114.3	146	120	219	114
8×4	8.625×4.5				
200×125	219.1×133	146	120	219	133
8×5	8.625×5.25				
200×125	219.1×139.7	146	120	219	140
8×5	8.625×5.5				
200×150	219.1×159	146	120	219	159
8×6	8.625×6.25				
200×150	219.1×165.1	146	120	219	165
8×6	8.625×6.5				

**Cruci Filetate Reduse
XGQT05S**





DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni			Clasa Presiune (Psi)
		L (mm)		D (mm)	
		L	L1	d (mm)	
50×25	60.3×33.7	70		60	
2×1	2.375×1.327			43	
50×32	60.3×42.4	70		60	
2×1 1/4	2.375×1.669			52	
50×40	60.3×48.3	70		60	
2×1 1/2	2.375×1.9			58	
65×25	73.0×33.7	76		73	
2 1/2×1	2.875×1.327			43	
65×32	73.0×42.4	76		73	
2 1/2×1 1/4	2.875×1.669			52	
65×40	73.0×48.3	76		73	
2 1/2×1 1/2	2.875×1.9			58	
65×50	73.0×60.3	76		73	
2 1/2×2	2.875×2.375			70	
65×25	76.1×33.7	76		76	
2 1/2×1	3×1.327			43	
65×32	76.1×42.4	76		76	
2 1/2×1 1/4	3×1.669			52	
65×40	76.1×48.3	76		76	
2 1/2×1 1/2	3×1.9			58	
65×50	76.1×60.3	76		76	
2 1/2×2	3×2.375			70	
80×25	88.9×33.7	86		89	
3×1	3.5×1.327			43	
80×32	88.9×42.4	86		89	
3×1 1/4	3.5×1.669			52	
80×40	88.9×48.3	86		89	
3×1 1/2	3.5×1.9			58	
80×50	88.9×60.3	86		89	
3×2	3.5×2.375			70	
80×65	88.9×76.1	86		89	230
3×2 1/2	3.5×3			86	
100×50	108.0×60.3	90	98	108	
4×2	4.25×2.375			70	
100×65	108.0×76.1	90	98	108	
4×2 1/2	4.25×3			86	
100×80	108×88.9	90	98	108	
4×3	4.25×3.5			99	
100×25	114.3×33.7	90	98	114	
4×1	4.5×1.327			43	
100×32	114.3×42.4	90	98	114	
4×1 1/4	4.5×1.669			52	
100×40	114.3×48.3	90	98	114	
4×1 1/2	4.5×1.9			58	
100×50	114.3×60.3	90	98	114	
4×2	4.5×2.375			70	
100×65	114.3×76.1	90	98	114	
4×2 1/2	4.5×3			86	
100×80	114.3×88.9	90	98	114	
4×3	4.5×3.5			99	
125×40	139.7×48.3	105		140	
5×1 1/2	5.5×1.9			58	
125×50	139.7×Rc2	105		140	
5×2	5.5×2.375			70	
125×65	139.7×76.1	105		140	
5×2 1/2	5.5×3			86	
125×80	139.7×88.9	105		140	
5×3	5.5×3.5			99	
125×100	139.7×114.3	105		140	
5×4	5.5×4.5			124	
125×40	141.3×48.3	105		141	
5×1 1/2	5.563×1.9			58	

Cruci Filetatae Reduse
XGQT05S

DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni			Clasa Presiune (Psi)
		L (mm)		D (mm)	d (mm)
		L	L1		
125×50	141.3×60.3	105		141	70
5×2	5.563×2.375				
125×65	141.3×73				
5×2½	5.563×2.875	105		141	86
125×80	141.3×88.9				
5×3	5.563×3.5				
125×100	141.3×114.3	105		141	124
5×4	5.563×4.5				
150×50	159.0×60.3	110	120	159	70
6×2	6.250×2.375				
150×65	159.0×76.1				
6×2½	6.25×3	110	120	159	86
150×80	159.0×88.9				
6×3	6.25×3.5				
150×100	159×114.3	110	120	159	99
6×4	6.25×4.5				
150×40	165.1×48.3	110	120	165	58
6×1½	6.5×1.9				
150×50	165.1×60.3				
6×2	6.5×2.375	110	120	165	70
150×65	165.1×76.1				
6×2½	6.5×3				
150×80	165.1×88.9	110	120	165	86
6×3	6.5×3.5				
150×100	165.1×114.3				
6×4	6.5×4.5	110	120	165	99
150×40	168.3×48.3				
6×1½	6.625×1.9				
150×50	168.3×60.3	110	120	168	58
6×2	6.625×2.375				
150×65	168.3×76.1				
6×2½	6.625×3	110	120	168	70
150×80	168.3×88.9				
6×3	6.625×3.5				
150×100	168.3×Rc4	110	120	168	86
6×4	6.625×4.5				
200×50	219.1×60.3				
8×2	8.625×2.375	146		219	70
200×50	219.1×76.1				
8×2½	8.625×3				
200×80	219.1×88.9	146		219	86
8×3	8.625×3.5				
200×100	219.1×114.3				
8×4	8.625×4.5	146		219	99
200×50	219.1×60.3				
8×2	8.625×2.375				
200×50	219.1×76.1	146		219	86
8×2½	8.625×3				
200×80	219.1×88.9				
8×3	8.625×3.5	146		219	99
200×100	219.1×114.3				
8×4	8.625×4.5				



**Teuri Mecanice Canelate
XGQT04G**




DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni			Diametrul Gaurii (Φ-mm)	Surub/Piulita	Clasa Presiune (Psi)	
		A	L	H		Nr. - M (mm)		
		(mm)	(mm)	(mm)				
50×25 2×1	60.3×33.7 2.375×1.327	120	64	70	38	3/8×2 (M10×50)	300	
50×32 2×1¼	60.3×42.4 2.375×1.669							
50×40 2×1½	60.3×48.3 2.375×1.9							
65×25 2½×1	73×33.7 2.875×1.327	120	72	70	46			
65×32 2½×1¼	73×42.4 2.875×1.669							
65×40 2½×1½	73×48.3 2.875×1.9							
65×25 2½×1	76.1×33.7 3×1.327	139	64	73	38			3/8×2-1/8 (M10×55)
65×32 2½×1¼	76.1×42.4 3×1.669							
65×40 2½×1½	76.1×48.3 3×1.9							
80×25 3×1	88.9×33.7 3.5×1.327	139	72	73	46			
80×32 3×1¼	88.9×42.4 3.5×1.669							
80×40 3×1½	88.9×48.3 3.5×1.9							
80×50 3×2	88.9×60.3 3.5×2.375	139	79	75	53			
100×50 4×2	108×60.3 4.25×2.375							
100×65 4×2½	108×76.1 4.25×3							
100×25 4×1	114.3×33.7 4.5×1.327	172	90	92.5	64			
100×32 4×1¼	114.3×42.4 4.5×1.669							
100×40 4×1½	114.3×48.3 4.5×1.9							
100×50 4×2	114.3×60.3 4.5×2.375	172	107	92.5	80			
100×65 4×2½	114.3×73 4.5×2.875							
100×80 4×3	114.3×88.9 4.5×3.5							
125×40 5×1½	133×48.3 5.25×1.9	181	64	95.5	38			
125×50 5×2	133×60.3 5.25×2.375							
125×65 5×2½	133×76.1 5.25×3							
125×80 5×3	133×88.9 5.25×3.5	181	72	95.5	46			
125×40 5×1½	139.7×48.3 5.5×1.9							
125×50 5×2	139.7×60.3 5.5×2.375							
125×65 5×2½	139.7×76.1 5.5×3	181	79	95.5	53			
125×80 5×3	139.7×88.9 5.5×3.5							
125×100 5×4	139.7×114.3 5.5×4.5							

Teuri Mecanice Canelate
XGQT04G

DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni			Diametrul Gaurii (Φ-mm)	Surub/Piulita Nr.- M (mm)	Clasa Presiune (Psi)		
		A	L	H					
		(mm)	(mm)	(mm)					
125×40	141.3×48.3	212	90	109	53	1/2×3 (M12×75)			
5×1½	5.563×1.9								
125×50	141.3×60.3								
5×2	5.563×2.375	212	100	109	64				
125×65	141.3×73								
5×2½	5.563×2.875								
125×80	141.3×88.9	212	117	113	70				
5×3	5.563×3.5								
150×50	159×60.3								
6×2	6.25×2.375	233	100	118	64	9/16×3 (M14×75)			
150×65	159×76.1								
6×2½	6.25×3								
150×80	159×88.9	233	117	118	80				
6×3	6.25×3.5								
150×100	159×108								
6×4	6.25×4.25	233	129	118	92				
150×100	159×114.3								
6×4	6.25×4.5								
150×50	165.1×60.3	233	143	119.5	104				
6×2	6.25×4.5								
150×65	165.1×76.1								
6×2½	6.5×3	239	153	119.5	111				
150×80	165.1×88.9								
6×3	6.5×3.5								
150×100	165.1×108	239	100	121	64				
6×4	6.5×4.25								
150×100	165.1×114.3								
6×4	6.5×4.5	248	143	122	104				
150×32	168.3×42.4								
6×1¼	6.625×1.669								
150×40	168.3×48.3	248	153	122.5	114			5/8×3-1/3 (M16×85)	300
6×1½	6.625×1.9								
150×50	168.3×60.3								
6×2	6.625×2.375	239	100	121	64	9/16×3-1/3 (M14×85)			
150×65	168.3×73								
6×2½	6.625×2.875								
150×65	168.3×76.1	248	117	127	70				
6×2½	6.625×3								
150×80	168.3×88.9								
6×3	6.625×3.5	248	136	127	89				
150×100	168.3×114.3								
6×4	6.625×4.5								
200×50	219.1×60.3	311	162	129	114			5/8×3-1/3 (M16×85)	
8×2	8.625×2.375								
200×65	219.1×73								
8×2½	8.625×2.875	311	117	154	70				
200×65	219.1×76.1								
8×2½	8.625×3								
200×80	219.1×88.9	311	117	154	70				
8×3	8.625×3.5								
200×100	219.1×108								
8×4	8.625×4.25	311	143	148.5	104				
200×100	219.1×114.3								
8×4	8.625×4.5								
200×125	219.1×133	311	162	156	114	3/4×3-1/2 (M20×90)			
8×5	8.625×5.25								
200×125	219.1×139.7								
8×5	8.625×5.5	311	168	149	129				
250×100	273×114								
10×4	10.75×4.5								
		379	147	177	104				




**Teuri Mecanice Filetate
XGQT04**




DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni			Diametrul Gaurii (Φ-mm)	Surub/Piulita	Clasa Presiune (Psi)
		A m(m)	L (mm)	H (mm)		Nr.- M (mm)	
50×15 2×1/2	60.3×21.3 2.375×0.825	120	54	50	30	3/8×2 (M10×50)	300
50×20 2×3/4	60.3×26.7 2.375×1.05						
50×25 2×1	60.3×33.7 2.375×1.327	120	64	50	38		
50×32 2×1 1/4	60.3×42.4 2.375×1.669	120	72	55	46		
50×40 2×1 1/2	60.3×48.3 2.375×1.9	120	72	63	46		
65×15 2 1/2×1/2	73×21.3 2.375×0.825	139	54	58	30		
65×20 2 1/2×3/4	73×26.7 2.875×1.05	139	54	58	30	3/8×2-1/4 (M10×55)	
65×25 2 1/2×1	73.0×33.7 2.875×1.327	139	65	60	38		
65×32 2 1/2×1 1/4	73.0×42.4 2.875×1.669	139	72	60	46		
65×40 2 1/2×1 1/2	73.0×48.3 2.875×1.9	139	79	60	53		
65×15 2 1/2×1/2	76.1×21.3 3×0.825	139	54	58	30		
65×20 2 1/2×3/4	76.1×26.7 3×1.05	139	54	58	30		
65×25 2 1/2×1	76.1×33.7 3×1.327	139	65	60	38		
65×32 2 1/2×1 1/4	76.1×42.4 3×1.669	139	72	60	46		
65×40 2 1/2×1 1/2	76.1×48.3 3×1.9	139	79	60	53		
80×15 3×1/2	88.9×21.3 3.5×0.825	155	59	66.5	30		
80×20 3×3/4	88.9×26.7 3.5×1.05	155	59	66.5	30		
80×25 3×1	88.9×33.7 3.5×1.327	155	64	67	38		
80×32 3×1 1/4	88.9×42.4 3.5×1.669	155	72	67	46		
80×40 3×1 1/2	88.9×48.3 3.5×1.9	155	79	67	53		
80×50 3×2	88.9×60.3 3.5×2.375	155	90	67	64		
100×25 4×1	108.1×33.7 4.250×1.327	167	76	76	38	1/2×2-5/8 (M12×65)	
100×32 4×1 1/4	108.0×42.4 4.25×1.669	167	83	76	46		
100×40 4×1 1/2	108.0×48.3 4.25×1.9	167	90	76	53		
100×50 4×2	108.0×60.3 4.25×2.375	167	100	78	64		

Teuri Mecanice Filetate
XGQT04



DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni			Diametrul Gaurii (Φ-mm)	Surub/Piulita	Clasa Presiune (Psi)
		A (mm)	L (mm)	H (mm)		Nr.- M (mm)	
100×65	108.0×76.1	167	117	105	80	1/2×2-5/8 (M12×65)	300
4×2 1/2	4.25×3						
100×25	114.3×33.7	181	64	79	38		
4×1	4.5×1.327						
100×32	114.3×42.4	181	72	79	46		
4×1 1/4	4.5×1.669						
100×40	114.3×48.3	181	79	79	53		
4×1 1/2	4.5×1.9						
100×50	114.3×60.3	181	90	79	64		
4×2	4.5×2.375						
100×65	114.3×76.1	181	117	105	70		
4×2 1/2	4.5×3						
100×80	114.3×88.9	181	129	83	89		
4×3	4.5×3.5						
125×25	133.0×33.7	205	76	89	38		
5×1	5.250×1.327						
125×32	133.0×42.4	205	83	89	46		
5×1 1/4	5.25×1.669						
125×40	133.0×48.3	205	90	89	53		
5×1 1/2	5.25×1.9						
125×50	133.0×60.3	205	100	89	64		
5×2	5.25×2.375						
125×65	133.0×76.1	205	117	92	80		
5×2 1/2	5.25×3						
125×80	133.0×88.9	205	129	94	92		
5×3	5.25×3.5						
125×25	139.7×33.7	212	76	93	38		
5×1	5.5×1.327						
125×32	139.7×42.4	212	83	93	46		
5×1 1/4	5.5×1.669						
125×40	139.7×48.3	212	90	93	53		
5×1 1/2	5.5×1.9						
125×50	139.7×60.3	212	100	93	64		
5×2	5.5×2.375						
125×65	139.7×76.1	212	117	93	70		
5×2 1/2	5.5×3						
125×80	139.7×88.9	212	129	95	89		
5×3	5.5×3.5						
125×25	141.3×33.7	212	76	93	38		
5×1	5.563×1.327						
125×32	141.3×42.4	212	83	93	46		
5×1 1/4	5.563×1.669						
125×40	141.3×48.3	212	90	93	53		
5×1 1/2	5.563×1.9						
125×50	141.3×60.3	212	100	93	64		
5×2	5.563×2.375						
125×65	141.3×76.1	212	117	115	70		
5×2 1/2	5.563×3						
125×80	141.3×88.9	212	136	118	89		
5×3	5.563×3.5						





**Teuri Mecanice Filetate
XGQT04**



DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni			Diametrul Gaurii (Φ-mm)	Surub/Piulita Nr. - M (mm)	Clasa Presiune (Psi)
		A (mm)	L (mm)	H (mm)			
150×25	159×33.7	233	76	101.5	38	9/16×3 (M14×75)	
6×1	6.250×1.327						
150×32	159.0×42.4						
6×1¼	6.250×1.669	233	83	101.5	46		
150×40	159.0×48.3						
6×1½	6.250×1.9						
150×50	159.0×60.3	233	100	101.5	64		
6×2	6.250×2.375						
150×65	159.0×76.1						
6×2½	6.250×3	233	117	105.5	80		
150×80	159.0×88.9						
6×3	6.250×3.5						
150×100	159.0×114.3	233	129	105.5	92	5/8×3-1/3 (M16×85)	
6×4	6.250×4.5						
150×25	165.1×33.7						
6×1	6.5×1.327	233	157	110	118		
150×32	165.1×42.4						
6×1¼	6.5×1.669						
150×40	165.1×48.3	248	64	106	38	5/8×3-1/3 (M16×85)	
6×1½	6.5×1.9						
150×50	165.1×60.3						
6×2	6.5×2.375	248	72	106	46		
150×65	165.1×76.1						
6×2½	6.5×3						
150×80	165.1×88.9	248	79	106	53		
6×3	6.5×3.5						
150×100	165.1×114.3						
6×4	6.5×4.5	248	90	106	64	5/8×3-1/3 (M16×85)	
150×25	168.3×33.7						
6×1	6.625×1.327						
150×32	168.3×42.4	248	107	106	70		
6×1¼	6.625×1.669						
150×40	168.3×48.3						
6×1½	6.625×1.9	248	118	108	89		
150×50	168.3×60.3						
6×2	6.625×2.375						
150×65	168.3×76.1	239	157	110	114	300	
6×2½	6.625×3						
150×80	168.3×88.9						
6×3	6.625×3.5	248	64	106	38		
150×100	168.3×Rc4						
6×4	6.625×4.5						
200×25	219.1×33.7	248	72	106	46	5/8×3-1/3 (M16×85)	
8×1	8.625×1.327						
200×32	219.1×42.4						
8×1¼	8.625×1.669	248	79	106	53		
200×40	219.1×48.3						
8×1½	8.625×1.9						
200×50	219.1×60.3	248	90	106	64		
8×2	8.625×2.375						
200×65	219.1×76.1						
8×2½	8.625×3	248	117	128	70	5/8×3-1/3 (2-M16×85)	
200×80	219.1×88.9						
8×3	8.625×3.5						
200×100	219.1×114.3	248	136	131	89		
8×4	8.625×4.5						
250×65	273.0×76.1						
10×2½	10.75×3	311	162	139.5	114	3/4×3-1/2 (M20×90)	
250×80	273.0×88.9						
10×3	10.75×3.5						
10×3	10.75×3.5	311	162	167	114		
250×65	273.0×76.1						
10×2½	10.75×3						
250×80	273.0×88.9	379	117	159	80	3/4×3-1/2 (M20×90)	
10×3	10.75×3.5						
10×3	10.75×3.5						
10×3	10.75×3.5	379	129	162	92		
10×3	10.75×3.5						
10×3	10.75×3.5						


Teuri de Sprinkler U-Bolt
041

DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni			Surub	Clasa Presiune (Psi)
		A	L	H	(inch/mm)	
		(mm)	(mm)	(mm)		
25×15	24.00	46	74	44	5/16×1-3/4 (M8×44)	300
1×1/2	0.95					
25×20	24.00	46	74	44	5/16×1-3/4 (M8×44)	
1×3/4	0.95					
32×15	30.00	53	89	56	3/8×3-1/8 (M10×78)	
1 1/4×1/2	1.18					
32×20	30.00	53	89	56		
1 1/4×3/4	1.18					
32×25	30.00	56	89	56		
1 1/4×1	1.18					
40×15	30.00	55	89	56		
1 1/2×1/2	1.18					
40×20	30.00	55	89	56		
1 1/2×3/4	1.18					
40×25	30.00	58	89	56		
1 1/2×1	1.18					
50×15	30.00	64	98	56		
2×1/2	1.18					
50×20	30.00	64	98	56	3/8×3-3/5 (M10×92)	
2×3/4	1.18					
50×25	30.00	67	98	56		
2×1	1.18					
65×15	30.00	69	111	56	3/8×4-1/4 (M10×108)	
2 1/2×1/2	1.18					
65×20	30.00	69	111	56		
2 1/2×3/4	1.18					
65×25	30.00	72	111	56		
2 1/2×1	1.18					
80×25	30.00	80.5	128	56	3/8×4-5/16 (M10×135)	
3×1	1.18					

Teuri de Sprinkler Full-Cast
L922

DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni			Surub (inch/mm)	Clasa Presiune (Psi)
		A (mm)	L (mm)	H (mm)		
25×15	24.00	93	48	28	3/8×1-1/2 (M10×40)	300
1×1/2	0.95					
32×15	30.00	98	65	45		
1 1/4×1/2	1.18					
32×20	30.00	98	65	45		
1 1/4×3/4	1.18					
32×25	30.00	98	65	54		
1 1/4×1	1.18					
40×15	30.00	105.6	65	48		
1 1/2×1/2	1.18					
40×20	30.00	105.6	65	48		
1 1/2×3/4	1.18					
40×25	30.00	105.6	65	57		
1 1/2×1	1.18					
50×15	30.00	125	65	54		
2×1/2	1.18					
50×20	30.00	125	65	54		
2×3/4	1.18					
50×25	30.00	125	65	62		
2×1	1.18					
65×15	30.00	139	65	61		
2 1/2×1/2	1.18					
65×20	30.00	139	65	61		
2 1/2×3/4	1.18					
65×25	30.00	139	65	71		
2 1/2×1	1.18					


**Reductii Canelate Concentrice
XGQT07**



DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni	Clasa Presiune (Psi)
		L (mm)	
40×32	48.3×42.4	64	300
1½×1¼	1.9×1.669		
50×32	60.3×42.4	64	
2×1¼	2.375×1.669		
50×40	60.3×48.3	64	
2×1½	2.375×1.9		
65×32	73×42.4	64	
2½×1¼	2.875×1.669		
65×40	73×48.3	64	
2½×1½	2.875×1.9		
65×50	73×60.3	64	
2½×2	2.875×2.375		
65×40	76.1×48.3	64	
2½×1½	3×1.9		
65×50	76.1×60.3	64	
2½×2	3×2.375		
80×32	88.9×42.4	64	
3×1¼	3.5×1.669		
80×40	88.9×48.3	64	
3×1½	3.5×1.9		
80×50	88.9×60.3	64	
3×2	3.5×2.375		
80×65	88.9×73	64	
3×2½	3.5×2.875		
80×65	88.9×76.1	64	
3×2½	3.5×3		
100×50	108×60.3	76	
4×2	4.25×2.375		
100×65	108×73	76	
4×2½	4.25×2.875		
100×65	108×76.1	76	
4×2½	4.25×3		
100×80	108×88.9	76	
4×3	4.25×3.5		
100×32	114.3×42.4	76	
4×1¼	4.5×1.669		
100×40	114.3×48.3	76	
4×1½	4.5×1.9		
100×50	114.3×60.3	76	
4×2	4.5×2.375		
100×65	114.3×73	76	
4×2½	4.5×2.875		
100×65	114.3×76.1	76	
4×2½	4.5×3		
100×80	114.3×88.9	76	
4×3	4.5×3.5		
125×50	133×60.3	85	
5×2	5.25×2.375		
125×65	133×73	85	
5×2½	5.25×2.875		
125×65	133×76.1	85	
5×2½	5.25×3		
125×80	133×88.9	85	
5×3	5.25×3.5		
125×100	133×108	85	
5×4	5.25×4.25		
125×100	133×114.3	85	
5×4	5.25×4.5		
125×50	139.7×60.3	85	
5×2	5.5×2.375		
125×65	139.7×73	85	
5×2½	5.5×2.875		


Reductii Canelate Concentrice
XGQT07

DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni	Clasa Presiune (Psi)
		L (mm)	
125×65	139.7×76.1	85	300
5×2½	5.5×3		
125×80	139.7×88.9	85	
5×3	5.5×3.5		
125×100	139.7×108	85	
5×4	5.5×4.25		
125×100	139.7×114.3	85	
5×4	5.5×4.5		
125×50	141.3×60.3	85	
5×2	5.563×2.375		
125×65	141.3×73	85	
5×2½	5.563×2.875		
125×65	141.3×76.1	85	
5×2½	5.563×3		
125×80	141.3×88.9	85	
5×3	5.563×3.5		
125×100	141.3×114.3	85	
5×4	5.563×4.5		
150×50	159×60.3	85	
6×2	6.25×2.375		
150×65	159×73	85	
6×2½	6.25×2.875		
150×65	159×76.1	85	
6×2½	6.25×3		
150×80	159×88.9	85	
6×3	6.25×3.5		
150×100	159×108	85	
6×4	6.25×4.25		
150×100	159×114.3	85	
6×4	6.25×4.5		
150×125	159×133	85	
6×5	6.25×5.25		
150×125	159×139.7	85	
6×5	6.25×5.5		
150×50	165.1×60.3	85	
6×2	6.5×2.375		
150×65	165.1×73	85	
6×2½	6.5×2.875		
150×65	165.1×76.1	85	
6×2½	6.5×3		
150×80	165.1×88.9	85	
6×3	6.5×3.5		
150×100	165.1×108	85	
6×4	6.5×4.25		
150×100	165.1×114.3	85	
6×4	6.5×4.5		
150×125	165.1×133	85	
6×5	6.5×5.25		
150×125	165.1×139.7	85	
6×5	6.5×5.5		
150×50	168.3×60.3	85	
6×2	6.63×2.375		
150×65	168.3×73	85	
6×2½	6.625×2.875		
150×65	168.3×76.1	85	
6×2½	6.625×2.375		
150×80	168.3×88.9	85	
6×3	6.625×3.5		
150×100	168.3×114.3	85	
6×4	6.625×4.5		
150×125	168.3×139.7	85	
6×5	6.625×5.5		



DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni	Clasa Presiune (Psi)
		L (mm)	
200×65	219.1×76.1	85	300
8×2½	8.63×3		
200×80	219.1×88.9	85	
8×3	8.625×3.5		
200×100	219.1×108	85	
8×4	8.625×4.25		
200×100	219.1×114.3	85	
8×4	8.625×4.5		
200×125	219.1×139.7	85	
8×5	8.625×5.5		
200×150	219.1×159	85	
8×6	8.625×6.25		
200×150	219.1×165.1	85	
8×6	8.63×6.5		
200×150	219.1×168.3	85	
8×6	8.625×6.63		
250×100	273×108	90	
10×4	10.75×4.25		
250×100	273×114.3	90	
10×4	10.75×4.5		
250×125	273×133	90	
10×5	10.75×5.25		
250×125	273×139.7	90	
10×5	10.75×5.5		
250×150	273×159	90	
10×6	10.75×6.25		
250×150	273×165.1	90	
10×6	10.75×6.5		
250×200	273×219.1	90	
10×8	10.75×8.625		
300×100	323.9×114.3	90	
12×4	12.75×4.5		
300×125	323.9×133	90	
12×5	12.75×5.25		
300×125	323.9×139.7	90	
12×5	12.75×5.5		
300×150	323.9×159	90	
12×6	12.75×6.25		
300×150	323.9×165.1	90	
12×6	12.75×6.625		
300×200	323.9×219.1	90	
12×8	12.75×8.63		
300×250	323.9×273	90	
12×10	12.75×10.75		


**Reductii Filetate Concentrice
XGQT07S**



DN (mm/inch)	D Ext. (mm/inch)	Dimensiuni	Clasa Presiune (Psi)
		L (mm)	
50×25	60.3×33.7	64	300
2×1	2.375×1.327		
50×32	60.3×42.4	64	
2×1¼	2.375×1.669		
50×40	60.3×48.3	64	
2×1½	2.375×1.9		
65×25	73×33.7	64	
2½×1	2.875×1.327		
65×32	73×42.4	64	
2½×1¼	2.875×1.669		
65×40	73×48.3	64	
2½×1½	2.875×1.9		
65×50	73×60.3	64	
2½×2	2.875×2.375		
65×25	76.1×33.7	64	
2½×1	3×1.327		
65×32	76.1×42.4	64	
2½×1¼	3×1.669		
65×40	76.1×48.3	64	
2½×1½	3×1.9		
65×50	76.1×60.3	64	
2½×2	3×2.375		
80×25	88.9×33.7	64	
3×1	3.5×1.327		
80×32	88.9×42.4	64	
3×1¼	3.5×1.669		
80×40	88.9×48.3	64	
3×1½	3.5×1.9		
80×50	88.9×60.3	64	
3×2	3.5×2.375		
80×65	88.9×76.1	64	
3×2½	3.5×3		
100×25	108.0×33.7	76	
4×1	4.25×1.327	76	
100×32	108.0×42.4		
4×1¼	4.25×1.669	76	
100×40	108.0×48.3		
4×1½	4.25×1.9	76	
100×50	108.0×60.3		
4×2	4.25×2.375	76	
100×65	108.0×76.1		
4×2½	4.25×3	76	
100×80	108×88.9		
4×3	4.25×3.5	76	
100×25	114.3×33.7		
4×1	4.5×1.327	76	
100×32	114.3×42.4		
4×1¼	4.5×1.669	76	
100×40	114.3×48.3		
4×1½	4.5×1.9	76	
100×50	114.3×60.3		
4×2	4.5×2.375	76	
100×65	114.3×76.1		
4×2½	4.5×3	76	
100×80	114.3×88.9		
4×3	4.5×3.5	85	
125×25	133.0×Rc1		
5×1	5.25×1.327	85	
125×32	133.0×42.4		
5×1¼	5.25×1.669	85	
125×40	133.0×48.3		
5×1½	5.25×1.9	85	

Reductii Filetate Concentrice
XGQT07S


DN (mm/inch)	D Ext. (mm/inch)	Dimensiuni	Clasa Presiune (Psi)
		L (mm)	
125×50	133.0×60.3	85	
5×2	5.25×2.375		
125×65	133.0×76.1	85	
5×2½	5.25×3		
125×80	133.0×88.9	85	
5×3	5.25×3.5		
125×25	139.7×33.7	85	
5×1	5.5×1.327		
125×32	139.7×42.4	85	
5×1¼	5.5×1.669		
125×40	139.7×48.3	85	
5×1½	5.5×1.9		
125×50	139.7×60.3	85	
5×2	5.5×2.375		
125×65	139.7×76.1	85	
5×2½	5.5×3		
125×80	139.7×88.9	85	
5×3	5.5×3.5		
125×100	139.7×114.3	85	
5×4	5.5×4.5		
125×25	141.3×33.7	85	
5×1	5.563×1.327		
125×32	141.3×42.4	85	
5×1¼	5.563×1.669		
125×40	141.3×48.3	85	
5×1½	5.563×1.9		
125×50	141.3×60.3	85	
5×2	5.563×2.375		
125×65	141.3×76.1	85	
5×2½	5.563×3		
125×80	141.3×88.9	85	
5×3	5.563×3.5		
125×80	141.3×Rc	85	
5×3	5.563×4.5		
150×25	159×33.7	85	
6×1	6.25×1.327		
150×32	159.0×42.4	85	
6×1¼	6.25×1.669		
150×40	159.0×48.3	85	
6×1½	6.25×1.9		
150×50	159.0×60.3	85	
6×2	6.25×2.375		
150×65	159.0×76.1	85	
6×2½	6.25×3		
150×80	159.0×88.9	85	
6×3	6.25×3.5		
150×100	159.0×114.3	85	
6×4	6.25×4.5		
150×25	165.1×33.7	85	
6×1	6.5×1.327		
150×32	165.1×42.4	85	
6×1¼	6.5×1.669		
150×40	165.1×48.3	85	
6×1½	6.5×1.9		
150×50	165.1×60.3	85	
6×2	6.5×2.375		
150×65	165.1×76.1	85	
6×2½	6.5×3		
150×80	165.1×88.9	85	
6×3	6.5×3.5		
150×100	165.1×114.3	85	
6×4	6.5×4.5		





300

DN (mm/inch)	D Ext. (mm/inch)	Dimensiuni	Clasa Presiune (Psi)
		L (mm)	
150×25	168.3×33.7	85	
6×1	6.625×1.327		
150×32	168.3×42.4	85	
6×1¼	6.625×1.669		
150×40	168.3×48.3	85	
6×1½	6.625×1.9		
150×50	168.3×60.3	85	
6×2	6.625×2.375		
150×65	168.3×76.1	85	
6×2½	6.625×3		
150×80	168.3×88.9	85	
6×3	6.625×3.5		
150×100	168.3×114.3	85	
6×4	6.625×4.5		
200×25	219.1×33.7	85	
8×1	8.625×1.327		
200×32	219.1×42.4	85	
8×1¼	8.625×1.669		
200×40	219.1×48.3	85	
8×1½	8.625×1.9		
200×50	219.1×60.3	85	
8×2	8.625×2.375		
200×65	219.1×76.1	85	
8×2½	8.625×3		
200×80	219.1×88.9	85	
8×3	8.625×3.5		
200×100	219.1×114.3	85	
8×4	8.625×4.5		

300

**Reductii Canelate Excentrice
XGQT072**



DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni	Clasa Presiune (Psi)
		L (mm)	
100×80 4×3	114.3×88.9 4.5×3.5	80	300
125×100 5×4	139.7×114.3 5.5×4.5	102	
150×100 6×4	165.1×114.3 6.5×4.5	102	
150×125 6×5	165.1×139.7 6.5×5.5	102	
200×100 8×4	219.1×114.3 8.625×4.5	127	
200×150 8×6	219.1×165.1 8.625×6.5	127	
250×150 10×6	273×165.1 10.75×6.5	152	
250×200 10×8	273×219.1 10.75×8.625	152	

**Flanse Canelate PN16
XGQT09**


DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni			Surub/Piulita	Clasa Presiune (Psi)
		D	L	n-Φ	Nr.- M (mm)	
		(mm)	(mm)			
50	60.3	164	210	4-18	3/8×2-3/4 (M10×70)	230
2	2.375					
65	73	182	240	8-18		
2 1/2	2.875					
65	76.1	182	240	8-18		
2 1/2	3					
80	88.9	194	250	8-18		
3	3.5					
100	108	216	266	8-18		
4	4.25					
100	114.3	216	266	8-18		
4	4.5					
125	133	247	300	8-18		
5	5.25					
125	139.7	247	300	8-18		
5	5.5					
125	141.3	247	300	8-18		
5	5.563					
150	159	282	336	8-22	1/2×2-3/4 (M12×70)	
6	6.25					
150	165.1	282	336	8-22		
6	6.5					
150	168.3	282	336	8-22		
6	6.625					
200	219.1	335	395	12-22	1/2×3-1/8 (M12×80)	
8	8.625					
250	273	404	470	12-26		
10	10.75					


Flanse Canelate ANSI #125/150 L991

DN (mm/inch)	D. Ext. (mm/inch)	Dimensiuni			Surub/Piulitat Nr.- M (mm)	Clasa Presiune (Psi)	
		D (mm)	L (mm)	n-Φ			
50	60.3	164	210	4-18	3/8×2-1/8 (M10×55)	250	
2	2.375						
65	73	176	240	4-18	3/8×2-3/4 (M10×70)		
2 1/2	2.875						
80	88.9	192	250	4-18			
3	3.5						
100	114.3	224	278	8-18			
4	4.5						
125	141.3	254	310	8-22	1/2×3-1/8 (M12×80)		
5	5.563						
150	168.3	282	336	8-22			
6	6.625						
200	219.1	343	395	8-22			1/2×4 (M16×100)
8	8.625						
250	273	362	503	12-26			
10	10.75						
300	323.9	432	580	12-26			
12	12.75						




DN (mm/inch)	D Ext. (mm/inch)	Dimensiuni				Clasa Presiune (Psi)
		ΦD	Φd	H	n-Φ	
		(mm)	(mm)	(mm)	(mm)	
50	60.30	165	125	60	4-18	300
2	2.38					
65	73.00	185	145	60	4-18	
2½	2.88					
65	76.10	185	145	60	4-18	
2½	3.00					
80	88.90	200	160	60	8-18	
3	3.50					
100	108.00	220	180	60	8-18	
4	4.25					
100	114.30	220	180	60	8-18	
4	4.50					
125	133.00	250	210	65	8-18	
5	5.25					
125	139.70	250	210	65	8-18	
5	5.50					
125	141.30	250	210	65	8-18	
5	5.56					
150	159.00	285	240	65	8-22	
6	6.25					
150	165.10	285	240	65	8-22	
6	6.50					
150	168.30	285	240	65	8-22	
6	6.63					
200	219.10	340	295	70	12-22	
8	8.63					
250	273.00	405	355	72	12-26	
10	10.75					
300	323.90	460	410	72	12-26	
12	12.75					

Adaptoare Flansa PN16 XGQT08




**Adaptoare Flansa ANSI #125/150
L981**




DN (mm/inch)	D Ext. (mm/inch)	Dimensiuni (mm)				Clasa Presiune (Psi)
		ΦD	Φd	L	n-Φ	
50	60.3	155	120.5	65	4-Φ18	300
2	2.375					
65	73.00	178	140	65	4-Φ18	
21/2	2.875					
80	88.90	191	153	65	4-Φ18	
3	3.50					
100	114.30	229	191	70	8-Φ18	
4	4.50					
125	141.3	255	216	70	8-Φ22	
5	5.563					
150	168.30	280	241	70	8-Φ22	
6	6.625					
200	219.1	345	299	80	8-Φ22	
8	8.625					
250	273	405	362	85	12-Φ26	
10	10.75					
300	323.9	485	432	90	12-Φ26	
12	12.75					

**Capace Canelate
XGQT06**



DN (mm/inch)	D Ext. (mm/inch)	Dimensiuni	Clasa Presiune (Psi)
		L (mm)	
25	33.7	23.8	300
1	1.327		
32	42.4	23.8	
1 1/4	1.669		
40	48.3	23.8	
1 1/2	1.9		
50	60.3	23.8	
2	2.375		
65	76.1	23.8	
2 1/2	3		
80	88.9	23.8	
3	3.5		
100	108	25.4	
4	4.25		
100	114.3	25.4	
4	4.5		
125	133	25.4	
5	5.25		
125	139.7	25.4	
5	"5.5"		
125	141.3	25.4	
5	5.563		
150	159	25.4	
5	6.25		
150	165.1	25.4	
6	6.5		
150	168.3	25.4	
6	6.625		
200	219.1	32	
8	8.625		
250	273	32	
10	10.75		
300	323.9	32	
12	12.75		

Capace Canelate cu Gaura Filetata Excentrica XGQT061



DN (mm/inch)	DN (mm/inch)	Dimensiuni	Clasa Presiune (Psi)
		L (mm)	
50×25	60.3×33.7	23.8	300
2×1	2.375×1.327		
50×32	60.3×42.4	23.8	
2×1 1/4	2.375×1.669		
50×40	60.3×48.3	23.8	
2×1 1/2	2.375×1.9		
65×50	73.0×60.3	23.8	
2 1/2×2	2.875×2.375		
65×25	76.1×33.7	23.8	
2 1/2×1	3×1.327		
65×32	76.1×42.4	23.8	
2 1/2×1 1/4	3×1.669		
65×40	76.1×48.3	23.8	
2 1/2×1 1/2	3×1.9		
65×50	76.1×60.3	23.8	
2 1/2×2	3×2.375		
80×25	88.9×33.7	23.8	
3×1	3.5×1.327		
80×32	88.9×42.4	23.8	
3×1 1/4	3.5×1.669		
80×40	88.9×48.3	23.8	
3×1 1/2	3.5×1.9		
80×50	88.9×60.3	23.8	
3×2	3.5×2.375		
100×40	114.3×48.3	25.4	
4×1 1/2	4.5×1.9		
100×50	114.3×60.3	25.4	
4×2	4.5×2.375		
125×50	139.7×60.3	25.4	
5×2	5.5×2.375		
125×50	141.3×60.3	25.4	
5×2	5.563×2.375		
150×50	165.1×60.3	25.4	
6×2	6.5×2.375		
150×40	168.3×48.3	25.4	
6×1 1/2	6.63×1.9		
150×50	168.3×60.3	25.4	
6×2	6.63×2.375		
200×50	219.1×60.3	28	
8×2	8.625×2.375		